

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version 10.0      Revision Date: 05/09/2026      SDS Number: 845725-00026      Date of last issue: 01/21/2026  
Date of first issue: 08/26/2016

---

### SECTION 1. IDENTIFICATION

Product name : Halofuginone Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**


#### Hazards for the product as supplied

Skin irritation : Category 2  
Eye irritation : Category 2A

#### Other hazards

None known.

#### GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H315 Causes skin irritation.  
H319 Causes serious eye irritation.

Precautionary Statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves, eye protection and face protection.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332 + P313 If skin irritation occurs: Get medical attention.

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version 10.0      Revision Date: 05/09/2026      SDS Number: 845725-00026      Date of last issue: 01/21/2026  
Date of first issue: 08/26/2016

P337 + P313 If eye irritation persists: Get medical attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Lactic acid	50-21-5*	$\geq 0.5 - \leq 1.5$	TSC
Halofuginone	82186-71-8*	$> 0 - \leq 0.1$	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
Causes serious eye irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version 10.0      Revision Date: 05/09/2026      SDS Number: 845725-00026      Date of last issue: 01/21/2026  
Date of first issue: 08/26/2016

---

- Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

### SECTION 7. HANDLING AND STORAGE

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version 10.0      Revision Date: 05/09/2026      SDS Number: 845725-00026      Date of last issue: 01/21/2026  
Date of first issue: 08/26/2016

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid inhalation of vapor or mist.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Halofuginone	82186-71-8	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
	Further information: DSEN, Skin			
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.
- All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted.
- Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
10.0	05/09/2026	845725-00026	Date of first issue: 08/26/2016

---

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: yellow
Odor	: odorless
Odor Threshold	: No data available
pH	: 2.1 - 3
Melting point/freezing point	: No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version 10.0      Revision Date: 05/09/2026      SDS Number: 845725-00026      Date of last issue: 01/21/2026  
Date of first issue: 08/26/2016

---

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
10.0	05/09/2026	845725-00026	Date of first issue: 08/26/2016

Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### Lactic acid:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: Corrosive to the respiratory tract.  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

##### Halofuginone:

Acute oral toxicity : LD50 (Rat): 30 mg/kg  
LD50 (Mouse): 5 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.053 mg/l  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 16 mg/kg

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version 10.0      Revision Date: 05/09/2026      SDS Number: 845725-00026      Date of last issue: 01/21/2026  
Date of first issue: 08/26/2016

---

||

### **Skin corrosion/irritation**

Causes skin irritation.

#### **Components:**

##### **Lactic acid:**

|| Species : Rabbit  
|| Method : OECD Test Guideline 404  
|| Result : Corrosive after 1 to 4 hours of exposure  
|| Remarks : Based on data from similar materials

##### **Halofuginone:**

|| Species : Rabbit  
|| Result : Skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

#### **Components:**

##### **Lactic acid:**

|| Species : Chicken eye  
|| Remarks : Based on data from similar materials

|| Result : Irreversible effects on the eye

##### **Halofuginone:**

|| Result : Severe irritation

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### **Components:**

##### **Lactic acid:**

|| Test Type : Buehler Test  
|| Routes of exposure : Skin contact  
|| Species : Guinea pig  
|| Result : negative  
|| Remarks : Based on data from similar materials

##### **Halofuginone:**

|| Routes of exposure : Dermal  
|| Species : Guinea pig  
|| Result : Sensitizer

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version 10.0      Revision Date: 05/09/2026      SDS Number: 845725-00026      Date of last issue: 01/21/2026  
Date of first issue: 08/26/2016

---

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Lactic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

#### Halofuginone:

Genotoxicity in vitro : Test Type: Ames test  
Result: positive

Test Type: Mouse Lymphoma  
Result: negative

Test Type: Chromosomal aberration  
Test system: human lymphoblastoid cells  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

Test Type: Cytogenetic assay  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: DNA Repair  
Species: Mouse  
Application Route: Oral  
Result: negative

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version 10.0      Revision Date: 05/09/2026      SDS Number: 845725-00026      Date of last issue: 01/21/2026  
Date of first issue: 08/26/2016

---

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Lactic acid:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

#### **Halofuginone:**

Species : Mouse  
Application Route : Oral  
NOAEL : 0.24 mg/kg body weight  
Result : negative

Species : Rat  
Application Route : Oral  
Exposure time : 63 weeks  
NOAEL : 0.36 mg/kg body weight  
Result : negative

Species : Rat  
Application Route : Oral  
Exposure time : 26 Months  
NOAEL : 0.09 - 0.18 mg/kg body weight  
Result : negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **Lactic acid:**

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **Halofuginone:**

Effects on fertility : Test Type: Fertility

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version 10.0      Revision Date: 05/09/2026      SDS Number: 845725-00026      Date of last issue: 01/21/2026  
Date of first issue: 08/26/2016

		Species: Mouse Application Route: Oral Fertility: NOAEL: 0.126 mg/kg body weight Result: No effects on fertility.
		Test Type: Fertility Species: Dog Application Route: Oral Fertility: LOAEL: 0.067 mg/kg body weight Result: Effects on fertility.
		Test Type: Three-generation reproduction toxicity study Species: Mouse Application Route: Oral General Toxicity F1: LOAEL: 0.063 mg/kg body weight Symptoms: Reduced body weight Result: No effects on fertility and early embryonic development were detected.
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Oral General Toxicity Maternal: LOAEL: 0.34 mg/kg body weight Embryo-fetal toxicity.: NOAEL: 0.67 mg/kg body weight Result: No embryo-fetal toxicity., No teratogenic effects.
		Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral General Toxicity Maternal: NOAEL: 0.025 mg/kg body weight Embryo-fetal toxicity.: NOAEL: 0.076 mg/kg body weight Result: No embryo-fetal toxicity., No teratogenic effects.
Reproductive toxicity - Assessment	:	Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

Not classified based on available information.

### **Components:**

#### **Halofuginone:**

Target Organs Assessment	:	Blood Causes damage to organs through prolonged or repeated exposure.
--------------------------	---	--

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version 10.0      Revision Date: 05/09/2026      SDS Number: 845725-00026      Date of last issue: 01/21/2026  
Date of first issue: 08/26/2016

---

### Repeated dose toxicity

#### Components:

##### Lactic acid:

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

Species : Rat  
LOAEL : 886 mg/kg  
Application Route : Skin contact  
Exposure time : 13 Weeks

##### Halofuginone:

Species : Mouse  
NOAEL : 0.07 mg/kg  
LOAEL : 0.16 mg/kg  
Application Route : Oral  
Exposure time : 4 Weeks  
Target Organs : Blood

Species : Rat  
NOAEL : 0.13 mg/kg  
LOAEL : 0.88 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Liver

Species : Dog  
NOAEL : 0.067 mg/kg  
LOAEL : 0.134 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Blood

Species : Dog  
NOAEL : 0.075 mg/kg  
LOAEL : 0.16 mg/kg  
Application Route : Oral  
Exposure time : 26 Weeks  
Target Organs : Blood

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### Halofuginone:

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version 10.0      Revision Date: 05/09/2026      SDS Number: 845725-00026      Date of last issue: 01/21/2026  
Date of first issue: 08/26/2016

General Information : No human information is available.  
Inhalation : Remarks: May cause irritation of respiratory tract.  
Skin contact : Remarks: May cause skin irritation and/or dermatitis.  
May cause sensitization by skin contact.  
Can be absorbed through skin.  
Eye contact : Remarks: May irritate eyes.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Lactic acid:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 10 - 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

##### **Halofuginone:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.8 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

LC50 (Cyprinus carpio (Carp)): 0.3 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.12 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version 10.0      Revision Date: 05/09/2026      SDS Number: 845725-00026      Date of last issue: 01/21/2026  
Date of first issue: 08/26/2016

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.02 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Chlorella pyrenoidosa): 46 mg/l  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### Lactic acid:

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

##### Halofuginone:

Biodegradability : Result: Not readily biodegradable.

### Bioaccumulative potential

#### Components:

##### Lactic acid:

Partition coefficient: n-octanol/water : log Pow: -0.62

##### Halofuginone:

Partition coefficient: n-octanol/water : log Pow: 1.18

### Mobility in soil

#### Components:

##### Halofuginone:

Distribution among environmental compartments : log Koc: 3.87  
Method: FDA 3.08

### Other adverse effects

No data available

### Endocrine disrupting properties

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.  
Contaminated packaging : Empty containers should be taken to an approved waste

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
10.0	05/09/2026	845725-00026	Date of first issue: 08/26/2016

handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

### SECTION 15. REGULATORY INFORMATION

#### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### US State Regulations

##### Pennsylvania Right To Know

Water	7732-18-5
Benzoic acid	65-85-0

#### The ingredients of this product are reported in the following inventories:

AICS : not determined

CA. DSL : not determined

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation


Version 10.0      Revision Date: 05/09/2026      SDS Number: 845725-00026      Date of last issue: 01/21/2026  
Date of first issue: 08/26/2016

CN IECSC : not determined

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV / CED:

HEALTH	/	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Halofuginone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
10.0	05/09/2026	845725-00026	Date of first issue: 08/26/2016

---

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8