

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

---

### SECTION 1. IDENTIFICATION

Product name : Orbifloxacin / Posaconazole / Mometasone Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 37 McCarville Street  
Charlottetown, PE C1E 2A7  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2B

Reproductive toxicity : Category 1B

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H320 Causes eye irritation.  
H360Df May damage the unborn child. Suspected of damaging fertility.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

P308 + P313 IF exposed or concerned: Get medical attention.  
P337 + P313 If eye irritation persists: Get medical attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS No./Unique ID	Concentration (% w/w)	Trade secret
White mineral oil (petroleum)	Paraffinum liquidum	8042-47-5*	$\geq 60 - \leq 80$	TSC
Orbifloxacin	No data available	113617-63-3*	$\geq 0.5 - \leq 1.5$	TSC
Posaconazole	No data available	171228-49-2*	$> 0 - \leq 0.1$	TSC
Mometasone	No data available	83919-23-7*	$> 0 - \leq 0.1$	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

|| See Section 15 for HMIRA information.

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
5.0	05/09/2026	439110-00023	Date of first issue: 01/06/2016

- 
- |   |   |   |
|---|---|---|
| If swallowed  | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.   |
| Most important symptoms and effects, both acute and delayed | : | Causes eye irritation.<br>May damage the unborn child. Suspected of damaging fertility.   |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician  | : | Treat symptomatically and supportively.   |
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- |  |   |   |
|--|---|---|
| Suitable extinguishing media                   | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                 | : | None known.   |
| Specific hazards during fire fighting          | : | Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products                  | : | Carbon oxides   |
| Specific extinguishing methods                 | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |   |   |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).  |
| Environmental precautions   | : | Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Prevent spreading over a wide area (e.g., by containment or oil barriers).<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained. |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapors or spray mist.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m <sup>3</sup>	CA AB OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWAEV (Mist)	5 mg/m <sup>3</sup>	CA QC OEL

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

		- Inhalable dust)		
		TWA (Mist)	1 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Orbifloxacin	113617-63-3	TWA	0.2 mg/m <sup>3</sup> (OEB 2)	Internal
Posaconazole	171228-49-2	TWA	300 µg/m <sup>3</sup> (OEB 2)	Internal
Mometasone	83919-23-7	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
5.0	05/09/2026	439110-00023	Date of first issue: 01/06/2016

---

Skin and body protection	:	potential for direct contact to the face with dusts, mists, or aerosols. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	white to off-white
Odor	:	odorless
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
5.0	05/09/2026	439110-00023	Date of first issue: 01/06/2016

---

Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics	:	
Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg
---------------------	---	---------------------------

Remarks: No significant adverse effects were reported

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: No significant adverse effects were reported

### **Components:**

#### **White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Orbifloxacin:**

Acute oral toxicity : LD50 (Rat): > 3,000 mg/kg  
Remarks: No mortality observed at this dose.

LD50 (Mouse): > 2,000 mg/kg  
Remarks: No mortality observed at this dose.

LD50 (Dog): > 600 mg/kg  
Symptoms: Vomiting  
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): > 200 mg/kg  
Application Route: Intramuscular

LD50 (Mouse): 500 mg/kg  
Application Route: Intramuscular

LD50 (Rat): 233 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 250 mg/kg  
Application Route: Intravenous

#### **Posaconazole:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

LD50 (Mouse): > 3,000 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

### **Mometasone:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Mouse): > 2,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 3.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.  
LC50 (Mouse): > 3.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute toxicity (other routes of administration) : LD50 (Rat): 300 mg/kg  
Application Route: Subcutaneous  
Symptoms: Breathing difficulties

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Species : Rabbit  
Result : Mild skin irritation

### **Components:**

#### **White mineral oil (petroleum):**

Species : Rabbit  
Result : No skin irritation

#### **Orbifloxacin:**

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

#### **Posaconazole:**

Species : Rabbit  
Result : No skin irritation

#### **Mometasone:**

Species : Rabbit  
Result : No skin irritation

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

---

### Serious eye damage/eye irritation

Causes eye irritation.

#### Product:

Species : Rabbit  
Result : Mild eye irritation

#### Components:

##### White mineral oil (petroleum):

Species : Rabbit  
Result : No eye irritation

##### Orbifloxacin:

Species : Rabbit  
Result : Mild eye irritation  
Method : Draize Test

##### Posaconazole:

Species : Rabbit  
Result : Mild eye irritation

##### Mometasone:

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Product:

Test Type : Magnusson-Kligman-Test  
Routes of exposure : Dermal  
Result : Not a skin sensitizer.

#### Components:

##### White mineral oil (petroleum):

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

---

### Orbifloxacin:

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

### Posaconazole:

Test Type : Magnusson-Kligman-Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

### Mometasone:

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitization.  
Result : negative  
Remarks : The results of a test on guinea pigs showed this substance to be a weak skin sensitizer.

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

#### Orbifloxacin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: equivocal  
Test Type: Mouse Lymphoma  
Result: positive  
Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: positive  
Genotoxicity in vivo : Test Type: Micronucleus test

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

Species: Mouse  
Cell type: Bone marrow  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Species: Rat  
Cell type: Liver cells  
Application Route: Oral  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Posaconazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intravenous  
Result: negative

### Mometasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster lung cells  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: positive

Test Type: Mouse Lymphoma  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Result: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

Test Type: unscheduled DNA synthesis assay  
Species: Rat  
Cell type: Liver cells  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **White mineral oil (petroleum):**

Species : Rat  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

#### **Orbifloxacin:**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 200 mg/kg body weight  
Result : negative

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 200 mg/kg body weight  
Result : negative

#### **Posaconazole:**

Species : Rat  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : positive  
Remarks : The mechanism or mode of action is not relevant in humans.

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Result : positive  
Remarks : The mechanism or mode of action is not relevant in humans.

#### **Mometasone:**

Species : Rat  
Application Route : Inhalation  
Exposure time : 2 Years

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

Dose : 0.067 mg/kg body weight  
Result : negative

Species : Mouse  
Application Route : Inhalation  
Exposure time : 19 Months  
Dose : 0.160 mg/kg body weight  
Result : negative

### Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

### Components:

#### White mineral oil (petroleum):

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### Orbifloxacin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: NOAEL: 50 mg/kg body weight  
Early Embryonic Development: NOAEL: 50 mg/kg body weight  
Result: No adverse effects.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Embryo-fetal toxicity.: LOAEL: 333 mg/kg body weight  
Result: No teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 20 mg/kg body weight  
Embryo-fetal toxicity.: NOAEL: 60 mg/kg body weight  
Result: No effects on early embryonic development., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, Reduced maternal body weight gain.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

Reproductive toxicity - Assessment : Test Type: Development  
Species: Dog  
Application Route: Oral  
Developmental Toxicity: LOAEL: 2.5 mg/kg body weight  
Result: Effects on postnatal development., Skeletal malformations.  
: Some evidence of adverse effects on development, based on animal experiments.

### Posaconazole:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male  
General Toxicity Parent: NOAEL: 180 mg/kg body weight  
Symptoms: No effects on mating performance.  
Result: negative

Test Type: Fertility/early embryonic development  
Species: Rat, female  
General Toxicity Parent: NOAEL: 45 mg/kg body weight  
Symptoms: No effects on mating performance.  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat, female  
Application Route: Oral  
Developmental Toxicity: LOAEL: 29 mg/kg body weight  
Result: Fetotoxicity., Malformations were observed.

Test Type: Embryo-fetal development  
Species: Rabbit, female  
Developmental Toxicity: LOAEL: 40 mg/kg body weight  
Result: Fetotoxicity.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### Mometasone:

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Subcutaneous  
Fertility: NOAEL: 0.015 mg/kg body weight  
Symptoms: Reduced embryonic survival, Reduced fetal weight.  
Result: No effects on fertility., Effect on reproduction capacity.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Subcutaneous  
Embryo-fetal toxicity.: LOAEL: 0.06 mg/kg body weight

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

		Result: Embryotoxic effects., Teratogenicity and developmental toxicity
		Test Type: Embryo-fetal development Species: Rat Application Route: Dermal Embryo-fetal toxicity.: LOAEL: 0.3 mg/kg body weight Result: Embryo-fetal toxicity.
		Test Type: Embryo-fetal development Species: Rabbit Application Route: Dermal Embryo-fetal toxicity.: LOAEL: 0.15 mg/kg body weight Result: Embryo-fetal toxicity., Malformations were observed.
		Test Type: Embryo-fetal development Species: Rat Application Route: Subcutaneous Embryo-fetal toxicity.: LOAEL: 0.15 mg/kg body weight Result: Effects on newborn.
		Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Embryo-fetal toxicity.: LOAEL: 0.7 mg/kg body weight Result: Embryo-fetal toxicity., Malformations were observed.
Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### STOT-single exposure

Not classified based on available information.

### Components:

#### Mometasone:

Remarks : Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Not classified based on available information.

### Components:

#### Posaconazole:

Routes of exposure : Ingestion  
Target Organs : Adrenal gland, Bone marrow, Kidney, Liver, Reproductive organs, Nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

---

### **Mometasone:**

Routes of exposure : inhalation (dust/mist/fume)  
Target Organs : Immune system, Liver, Kidney, Skin  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

#### **Components:**

##### **White mineral oil (petroleum):**

Species : Rat  
LOAEL : 160 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

Species : Rat  
LOAEL : >= 1 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 4 Weeks  
Method : OECD Test Guideline 412

##### **Orbifloxacin:**

Species : Rat  
NOAEL : 20 mg/kg  
LOAEL : 80 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Testis, Liver, Kidney, spleen

Species : Mouse  
NOAEL : 80 mg/kg  
LOAEL : 250 mg/kg  
Application Route : Oral  
Exposure time : 3 Months

Species : Juvenile dog  
NOAEL : 50 mg/kg  
LOAEL : 250 mg/kg  
Application Route : Oral  
Exposure time : 14 Days  
Target Organs : Heart, Bone  
Symptoms : Gastrointestinal disturbance  
Remarks : mortality observed

Species : Juvenile dog  
NOAEL : 2 mg/kg  
LOAEL : 3 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Bone

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 37.5 mg/kg  
Application Route : Oral  
Exposure time : 30 Days

Species : Cat  
NOAEL : 7.5 mg/kg  
LOAEL : 22.5 mg/kg  
Application Route : Oral  
Exposure time : 1 Months  
Symptoms : Gastrointestinal disturbance

### Posaconazole:

Species : Rat, female  
LOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 6 Months  
Target Organs : Adrenal gland, Lungs, Heart, Liver, spleen, Kidney, Ovary

Species : Dog  
LOAEL : 3 mg/kg  
Application Route : Oral  
Exposure time : 392 Days  
Target Organs : Lungs, Liver, Brain, small intestine, Adrenal gland, Spinal cord, lymphoid tissue

Species : Monkey  
LOAEL : 15 mg/kg  
Application Route : Oral  
Exposure time : 1 Months  
Target Organs : Bone marrow, Adrenal gland, Lymph nodes, Blood

Species : Dog  
LOAEL : 3 mg/kg  
Application Route : Oral  
Exposure time : 56 Weeks  
Target Organs : Adrenal gland, Bone marrow, Kidney, Nervous system, spleen, thymus gland, Testis, lymphoid tissue

Species : Monkey  
LOAEL : 180 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Target Organs : Blood, Gastrointestinal tract, spleen

Species : Monkey  
LOAEL : 8 mg/kg  
Application Route : Intravenous  
Exposure time : 1 Months  
Target Organs : Cardio-vascular system, Lungs, Adrenal gland, Blood

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

---

### Mometasone:

Species : Rat  
NOAEL : 0.005 mg/kg  
LOAEL : 0.3 mg/kg  
Application Route : Oral  
Exposure time : 30 d  
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Dog  
LOAEL : 0.5 mg/kg  
Application Route : Oral  
Exposure time : 30 d  
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Rat  
NOAEL : 0.00013 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d  
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, Liver, thymus gland

Species : Dog  
NOAEL : 0.0005 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d  
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, thymus gland, Liver

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Mometasone:

|| Not applicable

### Experience with human exposure

#### Components:

#### Orbifloxacin:

|| Ingestion : Symptoms: central nervous system effects, Gastrointestinal disturbance, liver function change, anaphylaxis, Rash  
Remarks: May cause photosensitization.

#### Posaconazole:

|| Ingestion : Symptoms: Cough, Headache, Nausea, Vomiting, Fever, Liver effects, Rash, pruritis, Diarrhea, hypertension, neutropenia, electrolyte imbalance

#### Mometasone:

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion  
Skin contact : Symptoms: Dermatitis, Itching

### Further information

#### Components:

#### **Mometasone:**

Remarks : Dermal absorption possible

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **White mineral oil (petroleum):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l  
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,000 mg/l  
Exposure time: 21 d

#### **Posaconazole:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.95 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.276 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.509 mg/l  
Exposure time: 72 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

		Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0.041 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.206 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.244 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility.
Toxicity to microorganisms	:	EC50 (Natural microorganism): > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

### Mometasone:

Toxicity to fish	:	LC50 (Menidia beryllina (Silverside)): 0.11 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility.  LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l Exposure time: 7 d Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility.  EC50 (Americamysis): > 5 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035 Remarks: No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.00014 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other	:	NOEC (Daphnia magna (Water flea)): 0.34 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

aquatic invertebrates (Chronic toxicity)      Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms      :      EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility.

NOEC: 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility.

### Persistence and degradability

#### Components:

##### **White mineral oil (petroleum):**

Biodegradability      :      Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

##### **Posaconazole:**

Biodegradability      :      Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 28 h  
Method: OECD Test Guideline 314

Stability in water      :      Degradation half life (DT50): > 30 d  
Method: OECD Test Guideline 111

##### **Mometasone:**

Biodegradability      :      Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

Stability in water      :      Hydrolysis: 50 %(12 d)  
Method: OECD Test Guideline 111

### Bioaccumulative potential

#### Components:

##### **Posaconazole:**

Bioaccumulation      :      Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 20

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

---

Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.15

### **Mometasone:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 107.1  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.68

### **Mobility in soil**

#### **Components:**

### **Posaconazole:**

Distribution among environmental compartments : log Koc: 5.52

### **Mometasone:**

Distribution among environmental compartments : log Koc: 4.02

### **Other adverse effects**

No data available

### **Endocrine disrupting properties**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Mometasone, Posaconazole)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version 5.0      Revision Date: 05/09/2026      SDS Number: 439110-00023      Date of last issue: 12/06/2025  
Date of first issue: 01/06/2016

---

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Mometasone, Posaconazole)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Mometasone, Posaconazole)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Mometasone, Posaconazole)  
Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes(Mometasone, Posaconazole)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
CA. DSL : not determined

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
5.0	05/09/2026	439110-00023	Date of first issue: 01/06/2016

CN IECSC : not determined

### Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	: Canada. British Columbia OEL
CA QC OEL	: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	: 8-hour, time-weighted average
CA AB OEL / TWA	: 8-hour Occupational exposure limit
CA AB OEL / STEL	: 15-minute occupational exposure limit
CA BC OEL / TWA	: 8-hour time weighted average
CA QC OEL / TWAEV	: Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Orbifloxacin / Posaconazole / Mometasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
5.0	05/09/2026	439110-00023	Date of first issue: 01/06/2016

---

Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8