

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version 9.1 Revision Date: 05/09/2026 SDS Number: 764062-00022 Date of last issue: 01/30/2026
Date of first issue: 06/16/2016

SECTION 1. IDENTIFICATION

Product name : Cephapirin / Prednisolone Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Respiratory sensitization : Category 1

Reproductive toxicity : Category 2

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.

Hazards associated with a change in physical form:

Conditions	Hazards
If small particles are generated during further processing, handling or by other means.	May form combustible dust concentrations in air.

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H361d Suspected of damaging the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version 9.1 Revision Date: 05/09/2026 SDS Number: 764062-00022 Date of last issue: 01/30/2026
Date of first issue: 06/16/2016

and understood.
P261 Avoid breathing dust, fume, gas, mist, vapors or spray.
P280 Wear protective gloves, protective clothing, eye protection and face protection.
P285 In case of inadequate ventilation wear respiratory protection.

Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P313 IF exposed or concerned: Get medical attention.
P342 + P311 If experiencing respiratory symptoms: Call a doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Peanut oil	8002-03-7*	$\geq 80 - \leq 100$	TSC
Glyceryl monostearate	123-94-4*	$\geq 3 - \leq 7$	TSC
Cefapirin	21593-23-7*	$\geq 1 - \leq 5$	TSC
prednisolone	50-24-8*	$\geq 0.1 - \leq 1$	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2026
9.1	05/09/2026	764062-00022	Date of first issue: 06/16/2016

In case of eye contact	:	Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. If in eyes, rinse well with water.
If swallowed	:	Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of damaging the unborn child. Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome). Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides Silicon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency measures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal
---	---	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version 9.1 Revision Date: 05/09/2026 SDS Number: 764062-00022 Date of last issue: 01/30/2026
Date of first issue: 06/16/2016

- Conditions for safe storage : Keep in properly labeled containers.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Peanut oil	8002-03-7	TWA (mist - total)	10 mg/m ³	NIOSH REL
		TWA (mist - respirable)	5 mg/m ³	NIOSH REL
Glyceryl monostearate	123-94-4	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
Cefapirin	21593-23-7	TWA	0.4 mg/m ³ (OEB 2)	Internal
	Further information: RSEN			
prednisolone	50-24-8	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version 9.1 Revision Date: 05/09/2026 SDS Number: 764062-00022 Date of last issue: 01/30/2026
Date of first issue: 06/16/2016

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : ointment

Color : off-white, yellow, to, pink

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : Not applicable

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2026
9.1	05/09/2026	764062-00022	Date of first issue: 06/16/2016

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version 9.1 Revision Date: 05/09/2026 SDS Number: 764062-00022 Date of last issue: 01/30/2026
Date of first issue: 06/16/2016

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Peanut oil:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

Glyceryl monostearate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

Cefapirin:

Acute oral toxicity : LD50 (Mouse): 26,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): > 7,600 mg/kg
Application Route: Intraperitoneal

LD50 (Rat): 7,800 mg/kg
Application Route: Intraperitoneal

prednisolone:

Acute oral toxicity : LD50 (Mouse): 1,680 mg/kg
LD50 (Rat): > 3,857 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 147 mg/kg
Application Route: Subcutaneous

LD50 (Mouse): 767 mg/kg
Application Route: Intraperitoneal

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version 9.1 Revision Date: 05/09/2026 SDS Number: 764062-00022 Date of last issue: 01/30/2026
Date of first issue: 06/16/2016

Skin corrosion/irritation

Not classified based on available information.

Components:

Peanut oil:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Glyceryl monostearate:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

prednisolone:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Peanut oil:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Glyceryl monostearate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

prednisolone:

Remarks : No data available

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Glyceryl monostearate:

Test Type : Buehler Test
Routes of exposure : Skin contact

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2026
9.1	05/09/2026	764062-00022	Date of first issue: 06/16/2016

Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Cefapirin:

Assessment : Probability or evidence of high respiratory sensitization rate in humans

prednisolone:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

Peanut oil:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Glyceryl monostearate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Cefapirin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

prednisolone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Mouse Lymphoma
Result: negative

Test Type: sister chromatid exchange assay
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2026
9.1	05/09/2026	764062-00022	Date of first issue: 06/16/2016

cytogenetic assay)
Species: Rat
Application Route: Oral
Result: negative

Test Type: sister chromatid exchange assay
Species: Humans
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

prednisolone:

Species : Rat
Application Route : Oral
Exposure time : 18 Months
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Glyceryl monostearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Cefapirin:

Effects on fertility : Test Type: Fertility/early embryonic development

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version 9.1 Revision Date: 05/09/2026 SDS Number: 764062-00022 Date of last issue: 01/30/2026
Date of first issue: 06/16/2016

Species: Rat
Application Route: Intraperitoneal injection
Fertility: LOAEL: > 500 mg/kg body weight
Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Intraperitoneal injection
Developmental Toxicity: LOAEL: > 200 mg/kg body weight

prednisolone:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Subcutaneous
Fertility: NOAEL: 1 mg/kg body weight
Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Developmental Toxicity: LOAEL: 0.5 mg/kg body weight
Result: Malformations were observed., Cleft palate

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 30 mg/kg body weight
Result: decreased blood formation

Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: NOAEL: 25 mg/kg body weight
Result: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

prednisolone:

Target Organs : Bone marrow, Adrenal gland, Liver
Assessment : Causes damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version 9.1 Revision Date: 05/09/2026 SDS Number: 764062-00022 Date of last issue: 01/30/2026
Date of first issue: 06/16/2016

Repeated dose toxicity

Components:

Glyceryl monostearate:

Species : Rat
NOAEL : $\geq 12,500$ mg/kg
Application Route : Ingestion
Exposure time : 84 Days
Remarks : Based on data from similar materials

Cefapirin:

Species : Rat
LOAEL : ≥ 200 mg/kg
Application Route : Intraperitoneal
Target Organs : Blood
Remarks : anemia

Species : Dog
LOAEL : 20 mg/kg
Application Route : Oral
Exposure time : 4 Months
Target Organs : Gastrointestinal tract

Species : Dog
LOAEL : 100 mg/kg
Application Route : Intramuscular
Exposure time : 10 Months
Target Organs : Blood, Gastrointestinal tract
Remarks : anemia

prednisolone:

Species : Rat
LOAEL : 0.6 mg/kg
Application Route : Oral
Exposure time : 63 Days
Target Organs : Bone marrow

Species : Dog
LOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 6 Weeks
Target Organs : Adrenal gland

Species : Rabbit
LOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 24 Weeks
Target Organs : Liver

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version 9.1 Revision Date: 05/09/2026 SDS Number: 764062-00022 Date of last issue: 01/30/2026
Date of first issue: 06/16/2016

Experience with human exposure

Components:

Cefapirin:

Ingestion : Symptoms: Nausea, Vomiting, Abdominal pain, Diarrhea, vaginitis, colitis, anorexia, Rash, anaphylaxis

prednisolone:

Ingestion : Symptoms: sodium retention, Headache, Vertigo, fluid retention, subcutaneous bleeding, striae, skin atrophy, menstrual irregularities

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Peanut oil:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Glyceryl monostearate:

Toxicity to fish : LL50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 32 mg/l
Exposure time: 47 h
Method: Directive 67/548/EEC, Annex V, C.2.
Remarks: No toxicity at the limit of solubility.
Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2026
9.1	05/09/2026	764062-00022	Date of first issue: 06/16/2016

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 0.22 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility.
Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 1 mg/l
Exposure time: 18 h
Remarks: Based on data from similar materials

prednisolone:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 85 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l
Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.23 mg/l
Exposure time: 7 d

Persistence and degradability

Components:

Glyceryl monostearate:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Glyceryl monostearate:

Partition coefficient: n-octanol/water : log Pow: 6.1

prednisolone:

Partition coefficient: n-octanol/water : log Pow: 1.46

Mobility in soil

No data available

Other adverse effects

No data available

Endocrine disrupting properties

No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2026
9.1	05/09/2026	764062-00022	Date of first issue: 06/16/2016

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization
Reproductive toxicity

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version 9.1 Revision Date: 05/09/2026 SDS Number: 764062-00022 Date of last issue: 01/30/2026
Date of first issue: 06/16/2016

Peanut oil 8002-03-7
Glyceryl monostearate 123-94-4
Zeolites 1318-02-1
Cefapirin 21593-23-7

California Permissible Exposure Limits for Chemical Contaminants

Peanut oil 8002-03-7
Glyceryl monostearate 123-94-4


The ingredients of this product are reported in the following inventories:

AICS : not determined
CA. DSL : not determined
CN IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV / CED:

HEALTH	*	0
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits
ACGIH / TWA : 8-hour, time-weighted average
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Haz-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2026
9.1	05/09/2026	764062-00022	Date of first issue: 06/16/2016

ardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8