

Orbifloxacin Solid Formulation

Version 4.0 Revision Date: 05/09/2026 SDS Number: 801075-00022 Date of last issue: 12/06/2025
Date of first issue: 07/15/2016

SECTION 1. IDENTIFICATION

Product name : Orbifloxacin Solid Formulation
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 37 McCarville Street
Charlottetown, PE C1E 2A7
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H361d Suspected of damaging the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves, protective clothing, eye protection and face protection.
Response:
P308 + P313 IF exposed or concerned: Get medical attention.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents and container to an approved waste disposal plant.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

Version 4.0 Revision Date: 05/09/2026 SDS Number: 801075-00022 Date of last issue: 12/06/2025
Date of first issue: 07/15/2016

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | Common Name/Synonym | CAS No./Unique ID | Concentration (% w/w) | Trade secret |
|--------------------|---|-------------------|-----------------------|--------------|
| Orbifloxacin | No data available | 113617-63-3* | >= 5 - <= 10 | TSC |
| Magnesium stearate | Octadecanoic acid, magnesium salt (2:1) | 557-04-0* | >= 0.5 - <= 1.5 | TSC |

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.
Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

Version 4.0 Revision Date: 05/09/2026 SDS Number: 801075-00022 Date of last issue: 12/06/2025
Date of first issue: 07/15/2016

- Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

Version 4.0 Revision Date: 05/09/2026 SDS Number: 801075-00022 Date of last issue: 12/06/2025
Date of first issue: 07/15/2016

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|--------------------|-------------|-------------------------------------|--|-----------|
| Orbifloxacin | 113617-63-3 | TWA | 0.2 mg/m ³ (OEB 2) | Internal |
| Magnesium stearate | 557-04-0 | TWA | 10 mg/m ³ | CA AB OEL |
| | | TWA (Inhalable) | 10 mg/m ³ | CA BC OEL |
| | | TWA (Respirable) | 3 mg/m ³ | CA BC OEL |
| | | TWAEV (inhalable dust) | 10 mg/m ³ | CA QC OEL |
| | | TWAEV (respirable aerosol fraction) | 3 mg/m ³ | CA QC OEL |
| | | TWA (Inhalable particulate matter) | 10 mg/m ³ | ACGIH |
| | | TWA (Respirable) | 3 mg/m ³ | ACGIH |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/06/2025 |
| 4.0 | 05/09/2026 | 801075-00022 | Date of first issue: 07/15/2016 |

| | | |
|--|---|---|
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapor pressure | : | No data available |
| Relative vapor density | : | No data available |
| Relative density | : | No data available |
| Density | : | No data available |
| Solubility(ies) Water solubility | : | No data available |
| Partition coefficient: n-octanol/water | : | No data available |
| Autoignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity Viscosity, kinematic | : | No data available |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight | : | No data available |
| Particle characteristics Particle size | : | No data available |

SECTION 10. STABILITY AND REACTIVITY

| | | |
|------------------------------------|---|--|
| Reactivity | : | Not classified as a reactivity hazard. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents. |
| Conditions to avoid | : | Heat, flames and sparks. |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/06/2025 |
| 4.0 | 05/09/2026 | 801075-00022 | Date of first issue: 07/15/2016 |

Incompatible materials : Avoid dust formation.
: Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Orbifloxacin:

Acute oral toxicity : LD50 (Rat): > 3,000 mg/kg
Remarks: No mortality observed at this dose.

LD50 (Mouse): > 2,000 mg/kg
Remarks: No mortality observed at this dose.

LD50 (Dog): > 600 mg/kg
Symptoms: Vomiting
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): > 200 mg/kg
Application Route: Intramuscular

LD50 (Mouse): 500 mg/kg
Application Route: Intramuscular

LD50 (Rat): 233 mg/kg
Application Route: Intravenous

LD50 (Mouse): 250 mg/kg
Application Route: Intravenous

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

Version 4.0 Revision Date: 05/09/2026 SDS Number: 801075-00022 Date of last issue: 12/06/2025
Date of first issue: 07/15/2016

Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Orbifloxacin:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Magnesium stearate:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Orbifloxacin:

Species : Rabbit
Result : Mild eye irritation
Method : Draize Test

Magnesium stearate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Orbifloxacin:

Test Type : Maximization Test
Routes of exposure : Dermal
Species : Guinea pig
Result : Not a skin sensitizer.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

Version 4.0 Revision Date: 05/09/2026 SDS Number: 801075-00022 Date of last issue: 12/06/2025
Date of first issue: 07/15/2016

Magnesium stearate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Orbifloxacin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: equivocal

Test Type: Mouse Lymphoma
Result: positive

Test Type: Chromosomal aberration
Test system: Human lymphocytes
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Intraperitoneal injection
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Cell type: Liver cells
Application Route: Oral
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

Version 4.0 Revision Date: 05/09/2026 SDS Number: 801075-00022 Date of last issue: 12/06/2025
Date of first issue: 07/15/2016

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Orbifloxacin:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
NOAEL : 200 mg/kg body weight
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
NOAEL : 200 mg/kg body weight
Result : negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Orbifloxacin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 50 mg/kg body weight
Early Embryonic Development: NOAEL: 50 mg/kg body weight
Result: No adverse effects.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Embryo-fetal toxicity.: LOAEL: 333 mg/kg body weight
Result: No teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 20 mg/kg body weight
Embryo-fetal toxicity.: NOAEL: 60 mg/kg body weight
Result: No effects on early embryonic development., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, Reduced maternal body weight gain.

Test Type: Development

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

Version 4.0 Revision Date: 05/09/2026 SDS Number: 801075-00022 Date of last issue: 12/06/2025
Date of first issue: 07/15/2016

Species: Dog
Application Route: Oral
Developmental Toxicity: LOAEL: 2.5 mg/kg body weight
Result: Effects on postnatal development., Skeletal malformations.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Orbifloxacin:

Species : Rat
NOAEL : 20 mg/kg
LOAEL : 80 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Testis, Liver, Kidney, spleen

Species : Mouse
NOAEL : 80 mg/kg
LOAEL : 250 mg/kg
Application Route : Oral
Exposure time : 3 Months

Species : Juvenile dog
NOAEL : 50 mg/kg
LOAEL : 250 mg/kg
Application Route : Oral
Exposure time : 14 Days

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

Version 4.0 Revision Date: 05/09/2026 SDS Number: 801075-00022 Date of last issue: 12/06/2025
Date of first issue: 07/15/2016

Target Organs : Heart, Bone
Symptoms : Gastrointestinal disturbance
Remarks : mortality observed

Species : Juvenile dog
NOAEL : 2 mg/kg
LOAEL : 3 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : Bone
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 37.5 mg/kg
Application Route : Oral
Exposure time : 30 Days

Species : Cat
NOAEL : 7.5 mg/kg
LOAEL : 22.5 mg/kg
Application Route : Oral
Exposure time : 1 Months
Symptoms : Gastrointestinal disturbance

Magnesium stearate:

Species : Rat
NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Orbifloxacin:

Ingestion : Symptoms: central nervous system effects, Gastrointestinal disturbance, liver function change, anaphylaxis, Rash
Remarks: May cause photosensitization.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Method: DIN 38412

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

Version 4.0 Revision Date: 05/09/2026 SDS Number: 801075-00022 Date of last issue: 12/06/2025
Date of first issue: 07/15/2016

| | |
|---|---|
| | Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : EL50 (<i>Daphnia magna</i> (Water flea)): > 1 mg/l Exposure time: 47 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials No toxicity at the limit of solubility. |
| Toxicity to algae/aquatic plants | : EL50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials No toxicity at the limit of solubility. |
| | NOELR (<i>Pseudokirchneriella subcapitata</i> (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials |
| Toxicity to microorganisms | : EC10 (<i>Pseudomonas putida</i>): > 100 mg/l Exposure time: 16 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials |

Persistence and degradability

Components:

Magnesium stearate:

Biodegradability : Result: Not biodegradable
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

Mobility in soil

No data available

Other adverse effects

No data available

Endocrine disrupting properties

No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/06/2025 |
| 4.0 | 05/09/2026 | 801075-00022 | Date of first issue: 07/15/2016 |

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

CA. DSL : not determined

CN IECSC : not determined

Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/06/2025 |
| 4.0 | 05/09/2026 | 801075-00022 | Date of first issue: 07/15/2016 |

| | | |
|-------------------|---|---|
| CA BC OEL | : | Canada. British Columbia OEL |
| CA QC OEL | : | Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants |
| ACGIH / TWA | : | 8-hour, time-weighted average |
| CA AB OEL / TWA | : | 8-hour Occupational exposure limit |
| CA BC OEL / TWA | : | 8-hour time weighted average |
| CA QC OEL / TWAEV | : | Time-weighted average exposure value |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

| | | |
|--|---|---|
| Sources of key data used to compile the Material Safety Data Sheet | : | Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/ |
|--|---|---|

| | | |
|---------------|---|------------|
| Revision Date | : | 05/09/2026 |
| Date format | : | mm/dd/yyyy |

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Orbifloxacin Solid Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/06/2025 |
| 4.0 | 05/09/2026 | 801075-00022 | Date of first issue: 07/15/2016 |

guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8