

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version 11.1      Revision Date: 05/09/2026      SDS Number: 2444694-00027      Date of last issue: 12/06/2025  
Date of first issue: 02/13/2018

### SECTION 1. IDENTIFICATION

Product name : Benzylpenicillin / Streptomycin Sulphate Solid Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Hazards for the product as supplied

Acute toxicity (Oral) : Category 4  
Eye irritation : Category 2B  
Respiratory sensitization : Category 1  
Skin sensitization : Category 1  
Reproductive toxicity : Category 1A  
Specific target organ toxicity : Category 1 (Kidney, inner ear)  
- repeated exposure

#### Other hazards

Contact with dust can cause mechanical irritation or drying of the skin.

#### Hazards associated with a change in physical form:

Conditions	Hazards
If small particles are generated during further processing, handling or by other means.	May form combustible dust concentrations in air.

#### GHS label elements

Hazard pictograms :



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version 11.1      Revision Date: 05/09/2026      SDS Number: 2444694-00027      Date of last issue: 12/06/2025  
Date of first issue: 02/13/2018

---

Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.  
H317 May cause an allergic skin reaction.  
H320 Causes eye irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H360D May damage the unborn child.  
H372 Causes damage to organs (Kidney, inner ear) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.  
P285 In case of inadequate ventilation wear respiratory protection.

**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical attention.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P337 + P313 If eye irritation persists: Get medical attention.  
P342 + P311 If experiencing respiratory symptoms: Call a doctor.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents and container to an approved waste disposal plant.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version 11.1      Revision Date: 05/09/2026      SDS Number: 2444694-00027      Date of last issue: 12/06/2025  
Date of first issue: 02/13/2018

Substance / Mixture : Mixture

### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Benzylpenicillin	61-33-6*	>= 45 - <= 70	TSC
Streptomycin sulphate	3810-74-0*	>= 30 - <= 60	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
May cause an allergic skin reaction.  
Causes eye irritation.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.  
Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).  
Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
11.1	05/09/2026	2444694-00027	Date of first issue: 02/13/2018

Notes to physician : when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Surround spill with absorbents and place a damp covering over the area to minimize entry of the material into the air.  
Add excess liquid to allow the material to enter into solution.  
Soak up with inert absorbent material.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
11.1	05/09/2026	2444694-00027	Date of first issue: 02/13/2018

released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- |                             |   |  |
|-----------------------------|---|--|
| Technical measures          | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.   |
| Local/Total ventilation     | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.  |
| Advice on safe handling     | : | Do not get on skin or clothing.<br>Do not breathe dust.<br>Do not swallow.<br>Do not get in eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labeled containers.<br>Store locked up.<br>Keep tightly closed.<br>Store in accordance with the particular national regulations.  |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents<br>Self-reactive substances and mixtures<br>Organic peroxides<br>Explosives<br>Gases   |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version 11.1      Revision Date: 05/09/2026      SDS Number: 2444694-00027      Date of last issue: 12/06/2025  
Date of first issue: 02/13/2018

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

inert or nuisance dust      50 Million particles per cubic foot  
Value type (Form of exposure): TWA (total dust)  
Basis: OSHA Z-3

15 mg/m<sup>3</sup>  
Value type (Form of exposure): TWA (total dust)  
Basis: OSHA Z-3

5 mg/m<sup>3</sup>  
Value type (Form of exposure): TWA (respirable fraction)  
Basis: OSHA Z-3

15 Million particles per cubic foot  
Value type (Form of exposure): TWA (respirable fraction)  
Basis: OSHA Z-3

Dust, nuisance dust and particulates      10 mg/m<sup>3</sup>  
Value type (Form of exposure): PEL (Total dust)  
Basis: CAL PEL

5 mg/m<sup>3</sup>  
Value type (Form of exposure): PEL (respirable dust fraction)  
Basis: CAL PEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Benzylpenicillin	61-33-6	TWA	600 µg/m <sup>3</sup> (OEB 2)	Internal
	Further information: RSEN, DSEN			
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Streptomycin sulphate	3810-74-0	TWA	OEB 2 (>= 100 < 1,000 µg/m <sup>3</sup> )	Internal
	Further information: DSEN			

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
11.1	05/09/2026	2444694-00027	Date of first issue: 02/13/2018

by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection  
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection  
Hygiene measures : Work uniform or laboratory coat.  
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white

Odor : odorless

Odor Threshold : No data available

pH : 6.0 - 7.5  
(aqueous suspension)

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
11.1	05/09/2026	2444694-00027	Date of first issue: 02/13/2018

---

Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	> 0.3 g/cm <sup>3</sup>
Solubility(ies)	:	
Water solubility	:	slightly soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version 11.1      Revision Date: 05/09/2026      SDS Number: 2444694-00027      Date of last issue: 12/06/2025  
Date of first issue: 02/13/2018

products

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 1,030 mg/kg  
Method: Calculation method

#### Components:

##### **Benzylpenicillin:**

Acute oral toxicity : LD50 (Rat): 8,000 mg/kg  
LD50 (Mouse): > 5,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): 3,500 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): 329 mg/kg  
Application Route: Intravenous

##### **Streptomycin sulphate:**

Acute oral toxicity : LD50 (Hamster): 400 mg/kg  
LD50 (Rat): 430 mg/kg  
LD50 (Mouse): 25,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): 85 - 111 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 575 - 610 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): 500 - 600 mg/kg  
Application Route: Subcutaneous

TDL<sub>o</sub> (Dog): 220 - 440 mg/kg  
Application Route: Intravenous  
Symptoms: Lowered blood pressure

LDLo (Monkey): 110 mg/kg

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
11.1	05/09/2026	2444694-00027	Date of first issue: 02/13/2018

---

Application Route: Intravenous

TDLo (Monkey): 30 - 70 mg/kg  
Application Route: Subcutaneous  
Symptoms: respiratory depression

### **Skin corrosion/irritation**

Not classified based on available information.

### **Serious eye damage/eye irritation**

Causes eye irritation.

### **Components:**

#### **Streptomycin sulphate:**

Result : Mild eye irritation

### **Respiratory or skin sensitization**

#### **Skin sensitization**

May cause an allergic skin reaction.

#### **Respiratory sensitization**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

### **Components:**

#### **Benzylpenicillin:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Dermal  
Species : Mouse  
Result : Weak sensitizer

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : positive  
Remarks : Based on data from similar materials

Result : Strong sensitizer  
Remarks : Based on human experience.

#### **Streptomycin sulphate:**

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Dermal  
Species : Humans  
Result : Weak sensitizer

### **Germ cell mutagenicity**

Not classified based on available information.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version 11.1      Revision Date: 05/09/2026      SDS Number: 2444694-00027      Date of last issue: 12/06/2025  
Date of first issue: 02/13/2018

---

### Components:

#### **Benzylpenicillin:**

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### **Streptomycin sulphate:**

Genotoxicity in vitro : Test Type: Chromosomal aberration  
Result: equivocal

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Cell type: Human lymphocytes  
Result: negative

#### **Carcinogenicity**

Not classified based on available information.

### Components:

#### **Streptomycin sulphate:**

Species : Rat  
Application Route : Oral  
NOAEL : 5 mg/kg body weight  
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### **Reproductive toxicity**

May damage the unborn child.

### Components:

#### **Benzylpenicillin:**

Effects on fertility : Test Type: Fertility  
Species: Mouse  
Result: No effects on fertility.

Test Type: Fertility  
Species: Rat  
Result: No effects on fertility.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version 11.1      Revision Date: 05/09/2026      SDS Number: 2444694-00027      Date of last issue: 12/06/2025  
Date of first issue: 02/13/2018

---

Test Type: Fertility  
Species: Rabbit  
Result: No effects on fertility.

Effects on fetal development : Test Type: Development  
Species: Mouse  
Result: No effects on fetal development.

Test Type: Development  
Species: Rat  
Result: No effects on fetal development.

Test Type: Development  
Species: Rabbit  
Result: No effects on fetal development.

### **Streptomycin sulphate:**

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Intraperitoneal  
Fertility: LOAEL: 40 mg/kg body weight  
Symptoms: male reproductive effects

Effects on fetal development : Test Type: Development  
Species: Mouse  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 250 mg/kg body weight  
Symptoms: fetal deafness, Embryo-fetal toxicity.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: No teratogenic effects.

Reproductive toxicity - Assessment : May damage the unborn child.

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

Causes damage to organs (Kidney, inner ear) through prolonged or repeated exposure.

### **Components:**

#### **Streptomycin sulphate:**

Target Organs : Kidney, inner ear  
Assessment : Causes damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version 11.1      Revision Date: 05/09/2026      SDS Number: 2444694-00027      Date of last issue: 12/06/2025  
Date of first issue: 02/13/2018

---

### Repeated dose toxicity

#### Components:

##### **Streptomycin sulphate:**

Species : Rat  
NOAEL : 100 mg/kg  
Application Route : Subcutaneous  
Exposure time : 72 Days  
Remarks : No significant adverse effects were reported

Species : Cat  
LOAEL : 200 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : inner ear

Species : Dog  
LOAEL : 44 mg/kg  
Application Route : Intramuscular  
Exposure time : 14 Days  
Target Organs : inner ear

Species : Dog  
LOAEL : 50 - 100 mg/kg  
Application Route : Intramuscular  
Exposure time : 20 Days  
Target Organs : inner ear, Kidney  
Symptoms : ataxia

Species : Monkey  
NOAEL : 50 mg/kg  
LOAEL : 100 mg/kg  
Application Route : Intramuscular  
Exposure time : 5 Days  
Target Organs : Liver, Kidney

Species : Rat  
NOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 2 y  
Remarks : No significant adverse effects were reported

Species : Monkey  
LOAEL : 25 mg/kg  
Application Route : Subcutaneous  
Exposure time : 66 Days  
Target Organs : Blood, Liver, Kidney  
Symptoms : anemia

### Aspiration toxicity

Not classified based on available information.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version 11.1      Revision Date: 05/09/2026      SDS Number: 2444694-00027      Date of last issue: 12/06/2025  
Date of first issue: 02/13/2018

---

### Experience with human exposure

#### Components:

##### **Benzylpenicillin:**

Inhalation : Symptoms: Allergic reactions, Abdominal pain, bronchospasm, skin rash

##### **Streptomycin sulphate:**

Inhalation : Target Organs: inner ear  
Symptoms: hearing loss  
Target Organs: Kidney  
Symptoms: hearing loss

Skin contact : Symptoms: skin rash

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Benzylpenicillin:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 hrs  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.6 mg/l  
Exposure time: 48 hrs  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l  
Exposure time: 72 hrs  
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 50 mg/l  
Exposure time: 72 hrs  
Method: OECD Test Guideline 201

EC50 (blue-green algae): 0.74 mg/l  
Exposure time: 72 hrs  
Method: OECD Test Guideline 201

NOEC (blue-green algae): 0.14 mg/l  
Exposure time: 72 hrs  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 500 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
11.1	05/09/2026	2444694-00027	Date of first issue: 02/13/2018

---

NOEC: 5 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### **Streptomycin sulphate:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 487 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Microcystis aeruginosa (blue-green algae)): 0.007 mg/l  
Exposure time: 72 h  
Method: ISO 8692

EC50 (Selenastrum capricornutum (green algae)): 0.133 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 32 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

### **Persistence and degradability**

#### **Components:**

#### **Benzylpenicillin:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 70.10 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### **Bioaccumulative potential**

#### **Components:**

#### **Streptomycin sulphate:**

Partition coefficient: n-octanol/water : log Pow: -3.2

#### **Mobility in soil**

No data available

#### **Other adverse effects**

No data available

#### **Endocrine disrupting properties**

No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
11.1	05/09/2026	2444694-00027	Date of first issue: 02/13/2018

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Streptomycin sulphate, Benzylpenicillin)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Streptomycin sulphate, Benzylpenicillin)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Streptomycin sulphate, Benzylpenicillin)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Domestic regulation

#### 49 CFR

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
11.1	05/09/2026	2444694-00027	Date of first issue: 02/13/2018

---

UN/ID/NA number	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Streptomycin sulphate, Benzylpenicillin)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes(Streptomycin sulphate, Benzylpenicillin)
Remarks	: Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids. Shipment by ground under DOT is non-regulated for non-bulk packaging; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

<b>SARA 311/312 Hazards</b>	: Acute toxicity (any route of exposure) Respiratory or skin sensitization Reproductive toxicity Specific target organ toxicity (single or repeated exposure) Serious eye damage or eye irritation
-----------------------------	--

<b>SARA 313</b>	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---

### US State Regulations

#### Pennsylvania Right To Know

Benzylpenicillin	61-33-6
Streptomycin sulphate	3810-74-0

#### California Prop. 65

WARNING: This product can expose you to chemicals including Streptomycin sulphate, which is/are known to the State of California to cause birth defects or other reproductive harm. For more

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version 11.1      Revision Date: 05/09/2026      SDS Number: 2444694-00027      Date of last issue: 12/06/2025  
Date of first issue: 02/13/2018


information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **The ingredients of this product are reported in the following inventories:**

AICS : not determined  
CA. DSL : not determined  
CN IECSC : not determined

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV / CED:

HEALTH	*	3
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

CAL PEL : California permissible exposure limits for chemical contaminants (Title 8, Article 107)  
OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts  
CAL PEL / PEL : Permissible exposure limit  
OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
11.1	05/09/2026	2444694-00027	Date of first issue: 02/13/2018

- International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8