

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version 4.2 Revision Date: 05/09/2026 SDS Number: 10437532-00012 Date of last issue: 12/08/2025
Date of first issue: 12/09/2021

SECTION 1. IDENTIFICATION

Product name : Oxytetracycline (10%) Liquid Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Skin irritation : Category 2
Eye irritation : Category 2A
Skin sensitization : Category 1
Reproductive toxicity : Category 1A

Other hazards

None known.

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H360D May damage the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing mist or vapors.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version 4.2 Revision Date: 05/09/2026 SDS Number: 10437532-00012 Date of last issue: 12/08/2025
Date of first issue: 12/09/2021

P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical attention.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P337 + P313 If eye irritation persists: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Propylene glycol	57-55-6*	>= 45 - <= 70	TSC
Oxytetracycline	79-57-2*	>= 7 - <= 13	TSC
Glycerine	56-81-5*	>= 5 - <= 10	TSC
Ethanolamine	141-43-5*	>= 0.5 - <= 1.5	TSC
Sodium hydroxymethanesulphinate	6035-47-8*	>= 0.1 - <= 1	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	05/09/2026	10437532-00012	Date of first issue: 12/09/2021

In case of skin contact	:	Get medical attention. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May damage the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency measures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal
---	---	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version 4.2 Revision Date: 05/09/2026 SDS Number: 10437532-00012 Date of last issue: 12/08/2025
Date of first issue: 12/09/2021

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	10 mg/m ³	US WEEL
Oxytetracycline	79-57-2	TWA	500 µg/m ³ (OEB 2)	Internal
	Further information: DSEN			
		Wipe limit	100 µg/100 cm ²	Internal
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m ³	NIOSH REL
		ST	6 ppm 15 mg/m ³	NIOSH REL
		TWA	3 ppm 6 mg/m ³	OSHA Z-1

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Hygiene measures : If exposure to chemical is likely during typical use, provide

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	05/09/2026	10437532-00012	Date of first issue: 12/09/2021

eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	light yellow
Color	:	amber
Color	:	translucent
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	8.0 - 9.0
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.050 - 1.250 g/cm ³

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	05/09/2026	10437532-00012	Date of first issue: 12/09/2021

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l
Exposure time: 4 h
Test atmosphere: vapor

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version 4.2 Revision Date: 05/09/2026 SDS Number: 10437532-00012 Date of last issue: 12/08/2025
Date of first issue: 12/09/2021

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Oxytetracycline:

Acute oral toxicity : LD50 (Rat): 4,800 mg/kg

LD50 (Mouse): 2,240 mg/kg
Remarks: Evidence of phototoxicity was observed

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 4,840 mg/kg
Application Route: Intramuscular

LD50 (Mouse): 3,500 mg/kg
Application Route: Subcutaneous

Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

Ethanolamine:

Acute oral toxicity : LD50 (Rat): 1,089 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Expert judgment
Remarks: Based on national or regional regulation.

Assessment: Not corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit, female): 1,018 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version 4.2 Revision Date: 05/09/2026 SDS Number: 10437532-00012 Date of last issue: 12/08/2025
Date of first issue: 12/09/2021

Sodium hydroxymethanesulphinate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 423
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

Components:

Propylene glycol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Oxytetracycline:

Remarks : No data available

Glycerine:

Species : Rabbit
Result : No skin irritation

Ethanolamine:

Species : Rabbit
Result : Corrosive after 3 minutes to 1 hour of exposure

Sodium hydroxymethanesulphinate:

Species : Rat
Result : No skin irritation
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Propylene glycol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Oxytetracycline:

Remarks : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version 4.2 Revision Date: 05/09/2026 SDS Number: 10437532-00012 Date of last issue: 12/08/2025
Date of first issue: 12/09/2021

Glycerine:

Species : Rabbit
Result : No eye irritation

Ethanolamine:

Species : Rabbit
Result : Irreversible effects on the eye

Sodium hydroxymethanesulphinat:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Propylene glycol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Oxytetracycline:

Test Type : Human repeat insult patch test (HRIPT)
Result : Sensitizer

Ethanolamine:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Sodium hydroxymethanesulphinat:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version 4.2 Revision Date: 05/09/2026 SDS Number: 10437532-00012 Date of last issue: 12/08/2025
Date of first issue: 12/09/2021

Germ cell mutagenicity

Not classified based on available information.

Components:

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Oxytetracycline:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Result: negative

Test Type: Mouse Lymphoma
Metabolic activation: Metabolic activation
Result: positive

Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Result: equivocal

Test Type: Chromosomal aberration
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: equivocal

Test Type: in vivo assay
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	05/09/2026	10437532-00012	Date of first issue: 12/09/2021

Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Ethanolamine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Sodium hydroxymethanesulphinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: positive
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

Not classified based on available information.

Components:

Propylene glycol:

Species : Rat
Application Route : Ingestion

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version 4.2 Revision Date: 05/09/2026 SDS Number: 10437532-00012 Date of last issue: 12/08/2025
Date of first issue: 12/09/2021

Exposure time : 2 Years
Result : negative

Oxytetracycline:

Species : Mouse
Application Route : Oral
Exposure time : 104 weeks
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 103 weeks
Result : equivocal
Target Organs : Adrenal gland, Pituitary gland
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Glycerine:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

May damage the unborn child.

Components:

Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Oxytetracycline:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version 4.2 Revision Date: 05/09/2026 SDS Number: 10437532-00012 Date of last issue: 12/08/2025
Date of first issue: 12/09/2021

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Fertility: NOAEL: 18 mg/kg body weight
Result: No effects on fertility., No effect on reproduction capacity., No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Embryo-fetal toxicity.: LOAEL: 48 mg/kg body weight
Result: Postimplantation loss., Skeletal malformations.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 1,200 mg/kg body weight
Embryo-fetal toxicity.: NOAEL: 1,500 mg/kg body weight
Result: No teratogenic effects.
Remarks: Maternal toxicity observed.

Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
General Toxicity Maternal: LOAEL: 1,325 mg/kg body weight
Embryo-fetal toxicity.: NOAEL: 2,100 mg/kg body weight
Result: No teratogenic effects.
Remarks: Maternal toxicity observed.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Intramuscular
Embryo-fetal toxicity.: LOAEL: 41.5 mg/kg body weight
Result: Postimplantation loss., No fetal abnormalities.

Test Type: Embryo-fetal development
Species: Dog
Application Route: Intramuscular
Embryo-fetal toxicity.: LOAEL: 20.75 mg/kg body weight
Result: Skeletal and visceral variations ., Postimplantation loss.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version 4.2 Revision Date: 05/09/2026 SDS Number: 10437532-00012 Date of last issue: 12/08/2025
Date of first issue: 12/09/2021

Application Route: Ingestion
Result: negative

Ethanolamine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Sodium hydroxymethanesulphinate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: positive
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

Components:

Ethanolamine:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Components:

Ethanolamine:

Assessment : No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version 4.2 Revision Date: 05/09/2026 SDS Number: 10437532-00012 Date of last issue: 12/08/2025
Date of first issue: 12/09/2021

Repeated dose toxicity

Components:

Propylene glycol:

Species : Rat, male
NOAEL : $\geq 1,700$ mg/kg
Application Route : Ingestion
Exposure time : 2 y

Oxytetracycline:

Species : Rat
LOAEL : 198 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Bone
Remarks : No significant adverse effects were reported

Species : Mouse
LOAEL : 7,990 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Bone
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 125 mg/kg
LOAEL : 250 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Testis
Remarks : Significant toxicity observed in testing

Species : Rat
NOAEL : 40 mg/kg
LOAEL : 100 mg/kg
Application Route : Intraperitoneal
Exposure time : 14 Days
Target Organs : Kidney

Glycerine:

Species : Rat
NOAEL : 0.167 mg/l
LOAEL : 0.622 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 13 Weeks

Species : Rat
NOAEL : 8,000 - 10,000 mg/kg
Application Route : Ingestion
Exposure time : 2 y

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	05/09/2026	10437532-00012	Date of first issue: 12/09/2021

Species : Rabbit
NOAEL : 5,040 mg/kg
Application Route : Skin contact
Exposure time : 45 Weeks

Ethanolamine:

Species : Rat
NOAEL : > 120 mg/kg
Application Route : Ingestion
Exposure time : > 75 Days
Remarks : Based on data from similar materials

Species : Rat
NOAEL : >= 0.15 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days
Method : OECD Test Guideline 412

Sodium hydroxymethanesulphinat:

Species : Rat
NOAEL : 600 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Oxytetracycline:

Ingestion : Symptoms: Gastrointestinal disturbance, tooth discoloration
Remarks: May cause birth defects.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version 4.2 Revision Date: 05/09/2026 SDS Number: 10437532-00012 Date of last issue: 12/08/2025
Date of first issue: 12/09/2021

plants Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Oxytetracycline:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 110 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 621 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

EC50 (Moina macrocopa (Water flea)): 126.7 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Anabaena): 0.032 mg/l
Exposure time: 72 h

NOEC (Anabaena): 0.0031 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (activated sludge): 17.9 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC (activated sludge): 0.2 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Glycerine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l
Exposure time: 48 h

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l
Exposure time: 16 h
Method: DIN 38 412 Part 8

Ethanolamine:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 349 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	05/09/2026	10437532-00012	Date of first issue: 12/09/2021

- Method: Directive 67/548/EEC, Annex V, C.1.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 65 mg/l
Exposure time: 48 h
Method: Directive 67/548/EEC, Annex V, C.2.
- Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 2.8 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (*Pseudokirchneriella subcapitata* (green algae)): 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (*Oryzias latipes* (Orange-red killifish)): 1.24 mg/l
Exposure time: 41 d
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.85 mg/l
Exposure time: 21 d
- Toxicity to microorganisms : EC10 (*Pseudomonas putida*): > 1,000 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

Sodium hydroxymethanesulphinate:

- Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)): > 10,000 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (*Desmodesmus subspicatus* (green algae)): 370 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (*Danio rerio* (zebra fish)): 13.5 mg/l
Exposure time: 35 d
Method: OECD Test Guideline 210
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 5.6 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 4 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	05/09/2026	10437532-00012	Date of first issue: 12/09/2021

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Propylene glycol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Glycerine:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 %
Exposure time: 30 d
Method: OECD Test Guideline 301D

Ethanolamine:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 90 %
Exposure time: 21 d
Method: OECD Test Guideline 301A

Sodium hydroxymethanesulphinat:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 77 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Propylene glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Regulation (EC) No. 440/2008, Annex, A.8

Glycerine:

Partition coefficient: n-octanol/water : log Pow: -1.75

Ethanolamine:

Partition coefficient: n-octanol/water : log Pow: -2.3
Method: OECD Test Guideline 107

Mobility in soil

No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	05/09/2026	10437532-00012	Date of first issue: 12/09/2021

Other adverse effects

No data available

Endocrine disrupting properties

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Oxytetracycline)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Oxytetracycline)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Oxytetracycline)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	05/09/2026	10437532-00012	Date of first issue: 12/09/2021

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Oxytetracycline)
Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes(Oxytetracycline)
Remarks	:	Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids. Shipment by ground under DOT is non-regulated for non-bulk packaging; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Respiratory or skin sensitization Reproductive toxicity Skin corrosion or irritation Serious eye damage or eye irritation
-----------------------------	---	--

SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---	---

US State Regulations

Pennsylvania Right To Know

Propylene glycol	57-55-6
Water	7732-18-5
Oxytetracycline	79-57-2
Glycerine	56-81-5

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	05/09/2026	10437532-00012	Date of first issue: 12/09/2021

Polyvinyl pyrrolidone	9003-39-8
Ethanolamine	141-43-5
Hydrochloric acid	7647-01-0

California Prop. 65

WARNING: This product can expose you to chemicals including Oxytetracycline, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Polyvinyl pyrrolidone	9003-39-8
Ethanolamine	141-43-5

California Permissible Exposure Limits for Chemical Contaminants

Glycerine	56-81-5
Ethanolamine	141-43-5


The ingredients of this product are reported in the following inventories:

AICS	: not determined
CA. DSL	: not determined
CN IECSC	: not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV / CED:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	05/09/2026	10437532-00012	Date of first issue: 12/09/2021

its for Air Contaminants

US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	05/09/2026	10437532-00012	Date of first issue: 12/09/2021

guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8