

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version 4.3 Revision Date: 05/09/2026 SDS Number: 6289832-00017 Date of last issue: 02/24/2026
Date of first issue: 08/25/2020

SECTION 1. IDENTIFICATION

Product name : Sulfamethoxazole / Trimethoprim Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Skin corrosion : Sub-category 1A
Serious eye damage : Category 1
Reproductive toxicity : Category 2
Specific target organ toxicity : Category 1 (Bone marrow)
- repeated exposure

Other hazards

None known.

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H314 Causes severe skin burns and eye damage.
H361d Suspected of damaging the unborn child.
H372 Causes damage to organs (Bone marrow) through prolonged or repeated exposure.

Supplemental Hazard Statements : Corrosive to the respiratory tract.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version 4.3 Revision Date: 05/09/2026 SDS Number: 6289832-00017 Date of last issue: 02/24/2026
Date of first issue: 08/25/2020

Precautionary Statements

: **Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER.
P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.
P308 + P313 IF exposed or concerned: Get medical attention.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Sulfamethoxazole	723-46-6*	>= 15 - <= 40	TSC
Trimethoprim	738-70-5*	>= 5 - <= 10	TSC
Sodium hydroxide	1310-73-2*	>= 3 - <= 7	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version 4.3 Revision Date: 05/09/2026 SDS Number: 6289832-00017 Date of last issue: 02/24/2026
Date of first issue: 08/25/2020

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention immediately.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control center immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.
Suspected of damaging the unborn child.
Causes damage to organs through prolonged or repeated exposure.
Causes severe burns.
Corrosive to the respiratory tract.
Causes digestive tract burns.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
Metal oxides
- Specific extinguishing meth- : Use extinguishing measures that are appropriate to local cir-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02/24/2026
4.3	05/09/2026	6289832-00017	Date of first issue: 08/25/2020

ods cumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version 4.3 Revision Date: 05/09/2026 SDS Number: 6289832-00017 Date of last issue: 02/24/2026
Date of first issue: 08/25/2020

- Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sulfamethoxazole	723-46-6	TWA	OEB 2 ($\geq 100 < 1000 \mu\text{g}/\text{m}^3$)	Internal
Trimethoprim	738-70-5	TWA	1500 $\mu\text{g}/\text{m}^3$ (OEB 1)	Internal
Sodium hydroxide	1310-73-2	C	2 mg/m^3	ACGIH
		C	2 mg/m^3	NIOSH REL
		TWA	2 mg/m^3	OSHA Z-1

- Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection
Material : Chemical-resistant gloves

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version 4.3 Revision Date: 05/09/2026 SDS Number: 6289832-00017 Date of last issue: 02/24/2026
Date of first issue: 08/25/2020

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Color : white to off-white

Odor : No data available

Odor Threshold : No data available

pH : 9.5 - 12.5

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02/24/2026
4.3	05/09/2026	6289832-00017	Date of first issue: 08/25/2020

Relative density	:	No data available
Density	:	1.179 g/cm ³
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents Acids
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 3,531 mg/kg Method: Calculation method
---------------------	---	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version 4.3 Revision Date: 05/09/2026 SDS Number: 6289832-00017 Date of last issue: 02/24/2026
Date of first issue: 08/25/2020

Components:

Sulfamethoxazole:

Acute oral toxicity : LD50 (Mouse): 2,300 mg/kg

Trimethoprim:

Acute oral toxicity : LD50 (Rat): 1,500 - 5,300 mg/kg

LD50 (Mouse): 1,910 - 7,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 400 - 500 mg/kg
Application Route: Intraperitoneal

LD50 (Dog): 90 mg/kg
Application Route: Intravenous

LD50 (Mouse): 132 mg/kg
Application Route: Intravenous

Sodium hydroxide:

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Skin corrosion/irritation

Causes severe burns.

Components:

Sulfamethoxazole:

Species : Rabbit
Result : No skin irritation

Sodium hydroxide:

Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Sodium hydroxide:

Result : Irreversible effects on the eye
Remarks : Based on skin corrosivity.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version 4.3 Revision Date: 05/09/2026 SDS Number: 6289832-00017 Date of last issue: 02/24/2026
Date of first issue: 08/25/2020

Respiratory sensitization

Not classified based on available information.

Components:

Sulfamethoxazole:

Test Type : Magnusson-Kligman-Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Trimethoprim:

Test Type : Maximization Test
Routes of exposure : Dermal
Species : Guinea pig
Result : Not a skin sensitizer.

Sodium hydroxide:

Test Type : Human repeat insult patch test (HRIPT)
Routes of exposure : Skin contact
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Sulfamethoxazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Humans
Result: negative

Trimethoprim:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version 4.3 Revision Date: 05/09/2026 SDS Number: 6289832-00017 Date of last issue: 02/24/2026
Date of first issue: 08/25/2020

Genotoxicity in vivo : Result: negative
: Test Type: Micronucleus test
Species: Rat
Result: negative

: Test Type: Chromosomal aberration
Species: Humans
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Sulfamethoxazole:

Species : Mouse
Application Route : Ingestion
Exposure time : 26 weeks
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Trimethoprim:

Effects on fertility : Test Type: Fertility
Species: Rat
Application Route: Oral
Fertility: NOAEL: 70 mg/kg body weight
Result: No effects on fertility.

Effects on fetal development : Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 70 mg/kg body weight
Result: Effects on newborn.
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 70 mg/kg body weight

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02/24/2026
4.3	05/09/2026	6289832-00017	Date of first issue: 08/25/2020

Result: Embryotoxic effects.
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 15 mg/kg body weight
Result: Embryotoxic effects., Teratogenic effects.

Test Type: Development
Species: Hamster
Application Route: Oral
Developmental Toxicity: LOAEL: 1.7 mg/kg body weight
Result: Embryotoxic effects., No teratogenic effects.

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 100 mg/kg body weight
Result: Embryotoxic effects., No teratogenic effects.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

STOT-single exposure

Corrosive to the respiratory tract.

STOT-repeated exposure

Causes damage to organs (Bone marrow) through prolonged or repeated exposure.

Components:

Trimethoprim:

Target Organs : Bone marrow
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Trimethoprim:

Species : Rat
NOAEL : 100 mg/kg
LOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 6 Months
Target Organs : Bone marrow, Liver, Pituitary gland, Thyroid

Species : Rat
LOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Bone marrow

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version 4.3 Revision Date: 05/09/2026 SDS Number: 6289832-00017 Date of last issue: 02/24/2026
Date of first issue: 08/25/2020

Species : Dog
NOAEL : 2.5 mg/kg
LOAEL : 45 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Blood, Thyroid

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Trimethoprim:

Ingestion : Target Organs: Bone marrow
Symptoms: Abdominal pain, Nausea, Vomiting, skin rash,
Dizziness, Headache, mental depression, confusion

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sulfamethoxazole:

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): 562.5 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (*Ceriodaphnia dubia* (water flea)): 0.21 mg/l
aquatic invertebrates : Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (*Synechococcus leopoliensis* (blue-green algae)):
plants : 0.0268 mg/l
Exposure time: 96 h

NOEC (*Synechococcus leopoliensis* (blue-green algae)):
0.0059 mg/l
Exposure time: 96 h

Toxicity to fish (Chronic tox- : NOEC (*Danio rerio* (zebra fish)): 0.533 mg/l
icity) : Exposure time: 21 d

Toxicity to daphnia and other : NOEC (*Daphnia magna* (Water flea)): 0.01 mg/l
aquatic invertebrates (Chron- : Exposure time: 30 d
ic toxicity)

Toxicity to microorganisms : NOEC (activated sludge): 3.76 mg/l
Method: OECD Test Guideline 301D

Trimethoprim:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 100 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version 4.3 Revision Date: 05/09/2026 SDS Number: 6289832-00017 Date of last issue: 02/24/2026
Date of first issue: 08/25/2020

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna Straus (Water flea)): 92 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 80.3 mg/l
Exposure time: 72 h
- NOEC (Pseudokirchneriella subcapitata (green algae)): 16 mg/l
Exposure time: 72 h
- EC50 (Anabaena flos-aquae): 253 mg/l
Exposure time: 72 h
- EC10 (Anabaena flos-aquae): 26 mg/l
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Zebrafish): 0.157 mg/l
Exposure time: 21 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 6 mg/l
Exposure time: 21 d
- Toxicity to microorganisms : EC10: 16.7 mg/l
Exposure time: 3 hrs
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
- EC50: > 1,000 mg/l
Exposure time: 3 hrs
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Sulfamethoxazole:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Trimethoprim:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Result: Not inherently biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 302B

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version 4.3 Revision Date: 05/09/2026 SDS Number: 6289832-00017 Date of last issue: 02/24/2026
Date of first issue: 08/25/2020

Bioaccumulative potential

Components:

Sulfamethoxazole:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): < 120

Partition coefficient: n-octanol/water : log Pow: 0.89

Trimethoprim:

Partition coefficient: n-octanol/water : log Pow: 0.91

Mobility in soil

No data available

Other adverse effects

No data available

Endocrine disrupting properties

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION
Class : 8
Packing group : II
Labels : 8
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1824
Proper shipping name : Sodium hydroxide solution
Class : 8
Packing group : II
Labels : Corrosive
Packing instruction (cargo aircraft) : 855

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version 4.3 Revision Date: 05/09/2026 SDS Number: 6289832-00017 Date of last issue: 02/24/2026
Date of first issue: 08/25/2020

Packing instruction (passenger aircraft) : 851

IMDG-Code

UN number : UN 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION (Sulfamethoxazole)
Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 1824
Proper shipping name : Sodium hydroxide solution
Class : 8
Packing group : II
Labels : CORROSIVE
ERG Code : 154
Marine pollutant : yes(Sulfamethoxazole)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	19649

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02/24/2026
4.3	05/09/2026	6289832-00017	Date of first issue: 08/25/2020

US State Regulations

Pennsylvania Right To Know

Water	7732-18-5
Sulfamethoxazole	723-46-6
Trimethoprim	738-70-5
Sodium hydroxide	1310-73-2

California List of Hazardous Substances

Sulfamethoxazole	723-46-6
Sodium hydroxide	1310-73-2

California Permissible Exposure Limits for Chemical Contaminants

Sodium hydroxide	1310-73-2
------------------	-----------


The ingredients of this product are reported in the following inventories:

CA. DSL	:	not determined
AICS	:	not determined
CN IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV / CED:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02/24/2026
4.3	05/09/2026	6289832-00017	Date of first issue: 08/25/2020

ACGIH / C : Ceiling limit
NIOSH REL / C : Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfamethoxazole / Trimethoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02/24/2026
4.3	05/09/2026	6289832-00017	Date of first issue: 08/25/2020

US / Z8