

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

### SECTION 1. IDENTIFICATION

Product name : Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

#### Hazards for the product as supplied

Reproductive toxicity : Category 2

#### Other hazards

Dust contact with the eyes can lead to mechanical irritation.

#### Hazards associated with a change in physical form:

Conditions	Hazards
If small particles are generated during further processing, handling or by other means.	May form combustible dust concentrations in air.

#### GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H361d Suspected of damaging the unborn child.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

### Response:

P308 + P313 IF exposed or concerned: Get medical attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Cellulose	9004-34-6*	>= 10 - <= 30	TSC
4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6*	>= 10 - <= 30	TSC
Fluralaner	864731-61-3*	>= 7 - <= 13	TSC
Magnesium Aluminometasilicate	12511-31-8*	>= 5 - <= 10	TSC
Sodium dodecyl sulphate	151-21-3*	>= 1 - <= 5	TSC
Moxidectin	113507-06-5*	> 0 - <= 0.1	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
9.0	05/09/2026	7900798-00018	Date of first issue: 03/17/2021

---

If swallowed	:	Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Suspected of damaging the unborn child. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Chlorine compounds Fluorine compounds Nitrogen oxides (NO <sub>x</sub> ) Sulfur oxides Metal oxides Silicon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6	TWA	250 µg/m <sup>3</sup> (OEB 2)	Internal
Fluralaner	864731-61-3	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
	Further information: Skin			
		Wipe limit	1000 µg/100 cm <sup>2</sup>	Internal
Magnesium Aluminometasilicate	12511-31-8	TWA (Respirable particulate matter)	1 mg/m <sup>3</sup> (Aluminum)	ACGIH
Moxidectin	113507-06-5	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

### Personal protective equipment

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
9.0	05/09/2026	7900798-00018	Date of first issue: 03/17/2021

- 
- |                          |   |  |
|--------------------------|---|--|
| Eye protection           | : | Wear safety glasses with side shields or goggles.<br>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.<br>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.   |
| Skin and body protection | : | Work uniform or laboratory coat.<br>Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.<br>Use appropriate degowning techniques to remove potentially contaminated clothing.  |
| Hygiene measures         | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |
- 

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- |  |   |   |
|--|---|---|
| Appearance                                       | : | solid   |
| Color  | : | light pink, to, light brown   |
| Odor   | : | aromatic  |
| Odor Threshold                                   | : | No data available   |
| pH   | : | No data available   |
| Melting point/freezing point                     | : | No data available   |
| Initial boiling point and boiling range          | : | No data available   |
| Flash point                                      | : | Not applicable  |
| Evaporation rate                                 | : | Not applicable  |
| Flammability (solid, gas)                        | : | May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids)                           | : | Not applicable  |
| Upper explosion limit / Upper flammability limit | : | No data available   |
| Lower explosion limit / Lower                    | : | No data available   |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
9.0	05/09/2026	7900798-00018	Date of first issue: 03/17/2021

---

flammability limit	
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

##### **4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

Acute oral toxicity : LD50 (Rat): > 24,000 mg/kg  
LD50 (Mouse): > 24,000 mg/kg  
LD50 (Dog): 2,000 mg/kg

##### **Fluralaner:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: No mortality observed at this dose.  
No significant adverse effects were reported  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: No significant adverse effects were reported

##### **Magnesium Aluminometasilicate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

Acute dermal toxicity : LD50 (Rabbit): > 3,500 mg/kg

### Sodium dodecyl sulphate:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

### Moxidectin:

Acute oral toxicity : LD50 (Rat): 106 mg/kg  
LD50 (Mouse): 42 - 84 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3.28 mg/l  
Exposure time: 5 h  
Test atmosphere: dust/mist

LC50 (Rat): 2.87 - 4.06 mg/l  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: No significant adverse effects were reported

Acute toxicity (other routes of administration) : LD50 (Rat): 394 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): 84 mg/kg  
Application Route: Intraperitoneal

LD50 (Rat): > 640 mg/kg  
Application Route: Subcutaneous

LD50 (Mouse): 263 mg/kg  
Application Route: Subcutaneous

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Fluralaner:

Species : Rabbit  
Result : No skin irritation

#### Magnesium Aluminometasilicate:

Species : Rabbit  
Result : No skin irritation

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

---

||Remarks : Based on data from similar materials

### Sodium dodecyl sulphate:

||Species : Rabbit  
||Result : Skin irritation

### Moxidectin:

||Species : Rabbit  
||Result : Mild skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Fluralaner:

||Species : Rabbit  
||Result : Mild eye irritation

#### Magnesium Aluminometasilicate:

||Species : Rabbit  
||Result : No eye irritation  
||Remarks : Based on data from similar materials

#### Sodium dodecyl sulphate:

||Species : Rabbit  
||Result : Irreversible effects on the eye  
||Method : OECD Test Guideline 405

#### Moxidectin:

||Species : Rabbit  
||Result : Moderate eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Fluralaner:

||Test Type : Maximization Test  
||Routes of exposure : Dermal  
||Species : Guinea pig  
||Result : Not a skin sensitizer.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

---

### Magnesium Aluminometasilicate:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

### Sodium dodecyl sulphate:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

### Moxidectin:

Test Type : Buehler Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### 4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

#### Fluralaner:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

Genotoxicity in vivo : Test Type: Mouse Lymphoma  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

### Magnesium Aluminometasilicate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Sodium dodecyl sulphate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Moxidectin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

Genotoxicity in vivo : Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: in vitro test  
Test system: Escherichia coli  
Result: negative

: Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Cell type: Liver cells  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Cellulose:

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

#### Fluralaner:

Carcinogenicity - Assessment : No data available

#### Magnesium Aluminometasilicate:

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative  
Remarks : Based on data from similar materials

#### Sodium dodecyl sulphate:

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : negative  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

### Moxidectin:

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 4.5 mg/kg body weight  
Result : negative

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 4.5 mg/kg body weight  
Result : negative

Species : Dog  
Application Route : Oral  
Exposure time : 1 Years  
NOAEL : 0.5 mg/kg body weight  
Result : negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Suspected of damaging the unborn child.

### Components:

#### Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### 4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 3,000 mg/kg body weight  
Result: No effects on fertility and early embryonic

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

development were detected.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.

### Fluralaner:

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: NOAEL: 50 mg/kg body weight  
General Toxicity F1: LOAEL: 100 mg/kg body weight  
Result: No effects on fertility., Postimplantation loss., Adverse neonatal effects.

Effects on fetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: Skeletal malformations., Visceral malformations.  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rabbit  
Application Route: Dermal  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: Skeletal malformations.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

### Magnesium Aluminometasilicate:

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Sodium dodecyl sulphate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### **Moxidectin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity F1: LOAEL: 0.8 mg/kg body weight  
Symptoms: Reduced fetal weight., Fetal mortality.  
Result: No effects on fertility., Some evidence of adverse effects on development, based on animal experiments.

Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity F1: LOAEL: 0.8 mg/kg body weight  
Symptoms: Reduced fetal weight., Fetal mortality.  
Result: No effects on fertility., Some evidence of adverse effects on development, based on animal experiments.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 10 mg/kg body weight  
Embryo-fetal toxicity.: LOAEL: 10 mg/kg body weight  
Result: Skeletal malformations.  
Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 5 mg/kg body weight  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: No teratogenic effects., No embryotoxic effects.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### **STOT-single exposure**

Not classified based on available information.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

### STOT-repeated exposure

Not classified based on available information.

### Components:

#### Moxidectin:

Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Cellulose:

Species : Rat  
NOAEL : >= 9,000 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

#### 4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Species : Dog  
NOAEL : 10 mg/kg  
LOAEL : 30 mg/kg  
Application Route : Ingestion  
Exposure time : 3 d  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 600 mg/kg  
Application Route : Oral  
Exposure time : 19 d  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 600 mg/kg  
Application Route : Oral  
Exposure time : 30 d  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 600 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Remarks : No significant adverse effects were reported

#### Fluralaner:

Species : Dog  
NOAEL : 1 mg/kg  
Application Route : Oral

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

---

Exposure time : 52 Weeks  
Target Organs : Liver  
Remarks : No significant adverse effects were reported

Species : Rat  
LOAEL : 400 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver, thymus gland

Species : Rat  
NOAEL : 500 mg/kg  
Application Route : Dermal  
Exposure time : 90 Days  
Target Organs : Liver  
Remarks : No significant adverse effects were reported

### Magnesium Aluminometasilicate:

Species : Rat  
: >= 1000 mg/kg  
Application Route : Ingestion  
Exposure time : 100 Days

### Sodium dodecyl sulphate:

Species : Rat  
NOAEL : 488 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

### Moxidectin:

Species : Mouse  
NOAEL : 3.9 mg/kg  
LOAEL : 15.4 mg/kg  
Application Route : Oral  
Exposure time : 4 Weeks  
Symptoms : Tremors

Species : Rat  
NOAEL : 3.9 mg/kg  
LOAEL : 7.9 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Central nervous system  
Symptoms : Tremors, Salivation

Species : Dog  
NOAEL : 0.3 mg/kg  
LOAEL : 0.9 mg/kg  
Application Route : Oral

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

---

Exposure time : 90 Days  
Target Organs : Central nervous system  
Symptoms : Tremors, Lachrymation, Salivation

Species : Dog  
NOAEL : 1.15 mg/kg  
Application Route : Oral  
Exposure time : 52 Weeks  
Target Organs : Central nervous system  
Symptoms : Tremors, Lachrymation

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Fluralaner:

Not applicable

### Experience with human exposure

### Components:

**4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhea, Headache, Dizziness, Fever

#### Fluralaner:

Skin contact : Remarks: May irritate skin.  
Eye contact : Remarks: May cause eye irritation.

#### Moxidectin:

Inhalation : Remarks: No human information is available.  
Skin contact : Remarks: No human information is available.  
Eye contact : Remarks: No human information is available.  
Ingestion : Remarks: No human information is available.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

### 4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

#### Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded  
Chronic aquatic toxicity : Toxic effects cannot be excluded

#### Fluralaner:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.015 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.08 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (Zebrafish): >= 0.049 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 204  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0736 µg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

#### Magnesium Aluminometasilicate:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : No toxicity at the limit of solubility.

#### Sodium dodecyl sulphate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l  
Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 30 mg/l

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): >= 1.357 mg/l  
Exposure time: 42 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l  
Exposure time: 7 d

Toxicity to microorganisms : EC50: 135 mg/l  
Exposure time: 3 h

### **Moxidectin:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.0006 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0002 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00003 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.087 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### **Persistence and degradability**

#### **Components:**

##### **Cellulose:**

Biodegradability : Result: Readily biodegradable.

##### **Sodium dodecyl sulphate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 95 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### **Bioaccumulative potential**

#### **Components:**

##### **Fluralaner:**

Bioaccumulation : Species: Zebrafish  
Bioconcentration factor (BCF): 79.4

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

---

Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.5

### Sodium dodecyl sulphate:

Partition coefficient: n-octanol/water : log Pow: 0.83

### Moxidectin:

Partition coefficient: n-octanol/water : log Pow: 4.7

### Mobility in soil

### Components:

#### Fluralaner:

Distribution among environmental compartments : log Koc: 4.1

### Other adverse effects

### Components:

#### Fluralaner:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

### Endocrine disrupting properties

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Fluralaner, Moxidectin)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

---

### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Fluralaner, Moxidectin)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Fluralaner, Moxidectin)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Fluralaner, Moxidectin)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(Fluralaner, Moxidectin)  
Remarks : Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids. Shipment by ground under DOT is non-regulated for non-bulk packaging; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 9.0      Revision Date: 05/09/2026      SDS Number: 7900798-00018      Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Reproductive toxicity

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Cellulose	9004-34-6
4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6
Fluralaner	864731-61-3
Propylene oxide polymer with ethylene oxide	9003-11-6
Croscarmellose sodium	74811-65-7
Pork by products	Not Assigned
Magnesium Aluminometasilicate	12511-31-8
Hydroxypropyl methylcellulose	9004-65-3
Sodium hydroxide	1310-73-2

#### California Permissible Exposure Limits for Chemical Contaminants

Cellulose	9004-34-6
-----------	-----------

#### The ingredients of this product are reported in the following inventories:

AICS	: not determined
CA. DSL	: not determined
CN IECSC	: not determined

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version  
9.0

Revision Date:  
05/09/2026


SDS Number:  
7900798-00018

Date of last issue: 01/16/2026  
Date of first issue: 03/17/2021

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV / CED:

HEALTH	*	1
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Pre-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
9.0	05/09/2026	7900798-00018	Date of first issue: 03/17/2021

---

vention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8