

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

---

### SECTION 1. IDENTIFICATION

Product name : Tilmicosin Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)


##### Hazards for the product as supplied

Acute toxicity (Oral) : Category 4  
Eye irritation : Category 2A  
Reproductive toxicity : Category 2  
Specific target organ toxicity : Category 2 (Heart, Lungs)  
- repeated exposure (Oral)

##### Other hazards

None known.

##### GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.  
H319 Causes serious eye irritation.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs (Heart, Lungs) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

and understood.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical attention.  
P337 + P313 If eye irritation persists: Get medical attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Tilmicosin	137330-13-3*	>= 15 - <= 40	TSC
Propylene glycol	57-55-6*	>= 10 - <= 30	TSC
Phosphoric acid	7664-38-2*	>= 1 - <= 5	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
6.2	05/09/2026	9456716-00017	Date of first issue: 09/08/2021

---

- |   |   |  |
|---|---|--|
| In case of eye contact                                      | : | Thoroughly clean shoes before reuse.<br>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>If easy to do, remove contact lens, if worn.<br>Get medical attention. |
| If swallowed  | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.<br>Never give anything by mouth to an unconscious person.  |
| Most important symptoms and effects, both acute and delayed | : | Harmful if swallowed.<br>Causes serious eye irritation.<br>Suspected of damaging fertility or the unborn child.<br>May cause damage to organs through prolonged or repeated exposure if swallowed.         |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).                                |
| Notes to physician  | : | Treat symptomatically and supportively.  |
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- |  |   |   |
|--|---|---|
| Suitable extinguishing media                   | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                 | : | None known.   |
| Specific hazards during fire fighting          | : | Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products                  | : | Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Oxides of phosphorus   |
| Specific extinguishing methods                 | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |   |  |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions   | : | Avoid release to the environment.  |
-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

---

Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Gases

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

Tilmicosin	137330-13-3	TWA	0.2 mg/m <sup>3</sup> (OEB 2)	Internal
Propylene glycol	57-55-6	TWA	10 mg/m <sup>3</sup>	US WEEL
Phosphoric acid	7664-38-2	TWA	1 mg/m <sup>3</sup>	ACGIH
		STEL	3 mg/m <sup>3</sup>	ACGIH
		TWA	1 mg/m <sup>3</sup>	NIOSH REL
		ST	3 mg/m <sup>3</sup>	NIOSH REL
		TWA	1 mg/m <sup>3</sup>	OSHA Z-1

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.

### Personal protective equipment

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Hand protection**  
**Material** : Chemical-resistant gloves

**Eye protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.  
**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

---

Appearance	:	liquid
Color	:	dark yellow
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	3.5 - 6.5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.00 - 1.200 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

---

Molecular weight : No data available

Particle characteristics  
Particle size : Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 1,467 mg/kg  
Method: Calculation method

#### Components:

##### Tilmicosin:

Acute oral toxicity : LD50 (Rat): 800 - 850 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Mouse): 97 mg/kg  
Application Route: Subcutaneous  
LD50 (Rat): 185 mg/kg  
Application Route: Subcutaneous

##### Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

---

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Phosphoric acid:

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Tilmicosin:

Species : Rabbit  
Result : No skin irritation

#### Propylene glycol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Phosphoric acid:

Result : Corrosive after 3 minutes to 1 hour of exposure  
Remarks : Based on national or regional regulation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### Tilmicosin:

Species : Rabbit  
Result : Mild eye irritation

#### Propylene glycol:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

#### Phosphoric acid:

Species : Rabbit  
Result : Irreversible effects on the eye

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

---

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### Tilmicosin:

Test Type : Intracutaneous test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

##### Propylene glycol:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Tilmicosin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Test system: Chinese hamster ovary cells  
Result: negative

Genotoxicity in vivo : Test Type: sister chromatid exchange assay  
Species: Hamster  
Result: negative

Test Type: Chromosomal aberration  
Species: Rat  
Result: negative

##### Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
6.2	05/09/2026	9456716-00017	Date of first issue: 09/08/2021

---

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Phosphoric acid:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Propylene glycol:

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Suspected of damaging fertility or the unborn child.

### Components:

#### Tilmicosin:

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 200 mg/kg body weight

Effects on fetal development : Test Type: Development  
Species: Rat

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

---

Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: Maternal toxicity observed.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 8 mg/kg body weight  
Result: Maternal toxicity observed., Reduced fetal weight.,  
Skeletal and visceral variations .

Reproductive toxicity - Assessment : May damage the unborn child.

### **Propylene glycol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### **Phosphoric acid:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the  
reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the  
reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

May cause damage to organs (Heart, Lungs) through prolonged or repeated exposure if swallowed.

### **Components:**

#### **Tilmicosin:**

Routes of exposure : Oral  
Target Organs : Heart, Lungs  
Assessment : May cause damage to organs through prolonged or repeated

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

---

exposure.

### Repeated dose toxicity

#### Components:

##### **Tilmicosin:**

Species : Rat  
NOAEL : 50 mg/kg  
LOAEL : 250 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Kidney, Liver, Heart, spleen, Gastrointestinal tract, Adrenal gland  
Symptoms : weight loss, reduced food consumption

Species : Dog  
NOAEL : 4 mg/kg  
LOAEL : 12 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Target Organs : Heart  
Symptoms : weight loss, Increased heart rate

Species : Dog  
LOAEL : 47 mg/m<sup>3</sup>  
Application Route : Inhalation  
Exposure time : 16 d  
Target Organs : Lungs

##### **Propylene glycol:**

Species : Rat, male  
NOAEL :  $\geq 1,700$  mg/kg  
Application Route : Ingestion  
Exposure time : 2 y

##### **Phosphoric acid:**

Species : Rat  
NOAEL : 250 mg/kg  
Application Route : Ingestion  
Exposure time : 40 - 52 Days  
Method : OECD Test Guideline 422

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **Tilmicosin:**

Inhalation : Target Organs: Gastrointestinal tract

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

---

Skin contact : Symptoms: Nausea, Vomiting  
: Target Organs: Skin  
Eye contact : Symptoms: tingling  
: Target Organs: Eye  
: Symptoms: burning or stinging of the eye, Swelling of tissue  
Ingestion : Target Organs: Central nervous system  
: Symptoms: anxiety, Headache, Light-headedness, Thirst

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Tilmicosin:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 851 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
  
LC50 (Lepomis macrochirus (Bluegill sunfish)): 716 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
  
Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 57.3 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202  
  
Toxicity to algae/aquatic : EC50 (Selenastrum capricornutum (green algae)): 0.354 mg/l  
plants : Exposure time: 72 h  
Method: OECD Test Guideline 201  
  
EC10 (Anabaena flos-aquae (cyanobacterium)): 0.008 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

##### **Propylene glycol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l  
Exposure time: 96 h  
  
Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l  
aquatic invertebrates : Exposure time: 48 h  
  
Toxicity to algae/aquatic : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l  
plants : Exposure time: 72 h  
Method: OECD Test Guideline 201  
  
Toxicity to daphnia and other : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l  
aquatic invertebrates (Chron- : Exposure time: 7 d  
ic toxicity)  
Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l  
Exposure time: 18 h

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

---

### Phosphoric acid:

- Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (*Desmodesmus subspicatus* (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (*Desmodesmus subspicatus* (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50: > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

#### Propylene glycol:

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98.3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### Bioaccumulative potential

#### Components:

#### Tilmicosin:

- Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Bioconcentration factor (BCF): 450  
Method: OECD Test Guideline 305
- Partition coefficient: n-octanol/water : log Pow: 3.8
- Propylene glycol:  
Partition coefficient: n-octanol/water : log Pow: -1.07  
Method: Regulation (EC) No. 440/2008, Annex, A.8

#### Mobility in soil

No data available

#### Other adverse effects

No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
6.2	05/09/2026	9456716-00017	Date of first issue: 09/08/2021

### Endocrine disrupting properties

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Tilmicosin)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Tilmicosin)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Tilmicosin)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Domestic regulation

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

---

### 49 CFR

UN/ID/NA number : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Tilmicosin)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(Tilmicosin)  
Remarks : Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids. Shipment by ground under DOT is non-regulated for non-bulk packaging; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Water	7732-18-5
Tilmicosin	137330-13-3
Propylene glycol	57-55-6
Phosphoric acid	7664-38-2

#### California List of Hazardous Substances

Phosphoric acid	7664-38-2
-----------------	-----------

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version 6.2      Revision Date: 05/09/2026      SDS Number: 9456716-00017      Date of last issue: 12/08/2025  
Date of first issue: 09/08/2021

### California Permissible Exposure Limits for Chemical Contaminants

Phosphoric acid

7664-38-2


The ingredients of this product are reported in the following inventories:

AICS : not determined  
CA. DSL : not determined  
CN IECSC : not determined

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV / CED:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NIOSH REL : USA. NIOSH Recommended Exposure Limits  
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)  
ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday  
OSHA Z-1 / TWA : 8-hour time weighted average  
US WEEL / TWA : 8-hr TWA

AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation,

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Tilmicosin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
6.2	05/09/2026	9456716-00017	Date of first issue: 09/08/2021

---

and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8