

Diflubenzuron Formulation

Version 5.0 Revision Date: 05/09/2026 SDS Number: 10808137-00012 Date of last issue: 01/21/2026
Date of first issue: 07/05/2022

SECTION 1. IDENTIFICATION

Product name : Diflubenzuron Formulation
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 37 McCarville Street
Charlottetown, PE C1E 2A7
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Serious eye damage : Category 1
Specific target organ toxicity : Category 2 (Blood, spleen, Liver)
- repeated exposure

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.
H373 May cause damage to organs (Blood, spleen, Liver) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P260 Do not breathe mist or vapors.
P280 Wear eye protection and face protection.
Response:
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.
P314 Get medical attention if you feel unwell.
Disposal:
P501 Dispose of contents and container to an approved waste

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version 5.0 Revision Date: 05/09/2026 SDS Number: 10808137-00012 Date of last issue: 01/21/2026
Date of first issue: 07/05/2022

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Propylene glycol	1,2-Propanediol	57-55-6*	$\geq 3 - \leq 7$	TSC
Nonylphenol, ethoxylated	Poly(oxy-1,2-ethanediyl), .alpha.a.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9*	$\geq 1 - \leq 5$	TSC
N-[[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide	Benzamide, N-[[[4-chlorophenyl]amino]carbonyl]-2,6-difluoro-	35367-38-5*	$\geq 1 - \leq 5$	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
5.0	05/09/2026	10808137-00012	Date of first issue: 07/05/2022

||Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Chlorine compounds
Nitrogen oxides (NO_x)
Fluorine compounds
Metal oxides
Phosphorus compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version 5.0 Revision Date: 05/09/2026 SDS Number: 10808137-00012 Date of last issue: 01/21/2026
Date of first issue: 07/05/2022

absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m ³	CA ON OEL
		TWA (aerosol)	10 mg/m ³	CA ON OEL
N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide	35367-38-5	TWA	400 µg/m ³ (OEB 2)	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Diflubenzuron Formulation

Version 5.0 Revision Date: 05/09/2026 SDS Number: 10808137-00012 Date of last issue: 01/21/2026
Date of first issue: 07/05/2022

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Aqueous solution, suspension
- Color : No data available
- Odor : No data available
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling : No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
5.0	05/09/2026	10808137-00012	Date of first issue: 07/05/2022

range

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
5.0	05/09/2026	10808137-00012	Date of first issue: 07/05/2022

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

Acute oral toxicity : LD50 (Rat): 4,640 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 2.49 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version 5.0 Revision Date: 05/09/2026 SDS Number: 10808137-00012 Date of last issue: 01/21/2026
Date of first issue: 07/05/2022

Components:

Propylene glycol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Nonylphenol, ethoxylated:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Propylene glycol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Nonylphenol, ethoxylated:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Propylene glycol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version 5.0 Revision Date: 05/09/2026 SDS Number: 10808137-00012 Date of last issue: 01/21/2026
Date of first issue: 07/05/2022

||Result : negative

Nonylphenol, ethoxylated:

||Test Type : Maximization Test
||Routes of exposure : Skin contact
||Species : Guinea pig
||Result : negative
||Remarks : Based on data from similar materials

N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

||Test Type : Buehler Test
||Routes of exposure : Skin contact
||Species : Guinea pig
||Method : OECD Test Guideline 406
||Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Propylene glycol:

||Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

||Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Nonylphenol, ethoxylated:

||Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

||Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

||Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version 5.0 Revision Date: 05/09/2026 SDS Number: 10808137-00012 Date of last issue: 01/21/2026
Date of first issue: 07/05/2022

Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propylene glycol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version 5.0 Revision Date: 05/09/2026 SDS Number: 10808137-00012 Date of last issue: 01/21/2026
Date of first issue: 07/05/2022

STOT-repeated exposure

May cause damage to organs (Blood, spleen, Liver) through prolonged or repeated exposure.

Components:

N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

Routes of exposure : Ingestion
Target Organs : Blood, spleen, Liver
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Routes of exposure : inhalation (dust/mist/fume)
Target Organs : Blood, spleen, Liver
Assessment : Shown to produce significant health effects in animals at concentrations of >0.02 to 0.2 mg/l/6h/d.

Routes of exposure : Skin contact
Target Organs : Blood, spleen, Liver
Assessment : Shown to produce significant health effects in animals at concentrations of >20 to 200 mg/kg bw.

Repeated dose toxicity

Components:

Propylene glycol:

Species : Rat, male
NOAEL : >= 1,700 mg/kg
Application Route : Ingestion
Exposure time : 2 y

N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

Species : Rat
LOAEL : 81 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rabbit
NOAEL : > 322 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Species : Rat
NOAEL : > 0.1 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version 5.0 Revision Date: 05/09/2026 SDS Number: 10808137-00012 Date of last issue: 01/21/2026
Date of first issue: 07/05/2022

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propylene glycol:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

Nonylphenol, ethoxylated:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l Exposure time: 100 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l Exposure time: 28 d Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version 5.0 Revision Date: 05/09/2026 SDS Number: 10808137-00012 Date of last issue: 01/21/2026
Date of first issue: 07/05/2022

N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0.13 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.00026 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): > 0.2 mg/l Exposure time: 72 h Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.1 mg/l Exposure time: 35 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.00004 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	NOEC (activated sludge): 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: The test was conducted according to guideline

Persistence and degradability

Components:

Propylene glycol:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 98.3 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---	---

Nonylphenol, ethoxylated:

Biodegradability	:	Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Biodegradability	:	Result: Not readily biodegradable. Method: OECD Test Guideline 301
Biodegradation Simulation Tests	:	Environmental Compartment: Soil Value type: DT50 Value: 2.2 - 6.2 d Measurement method: OECD Test Guideline 307 Remarks: The test was conducted according to guideline

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
5.0	05/09/2026	10808137-00012	Date of first issue: 07/05/2022

Bioaccumulative potential

Components:

Propylene glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Regulation (EC) No. 440/2008, Annex, A.8

Nonylphenol, ethoxylated:

Partition coefficient: n-octanol/water : log Pow: 4.48

N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 78 - 360

Partition coefficient: n-octanol/water : log Pow: 3.7
Method: OECD Test Guideline 107

Mobility in soil

Components:

N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Distribution among environmental compartments : log Koc: 3.5
Method: OECD Test Guideline 106
Remarks: The test was conducted according to guideline

Other adverse effects

No data available

Endocrine disrupting properties

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version 5.0 Revision Date: 05/09/2026 SDS Number: 10808137-00012 Date of last issue: 01/21/2026
Date of first issue: 07/05/2022

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide])

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide])

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide])

Class : 9
Packing group : III
Labels : 9
ERG Code : 171
Marine pollutant : yes(N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide])

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
5.0	05/09/2026	10808137-00012	Date of first issue: 07/05/2022

AICS : not determined
CA. DSL : not determined
CN IECSC : not determined

Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
5.0	05/09/2026	10808137-00012	Date of first issue: 07/05/2022

Data Sheet [cy, http://echa.europa.eu/](http://echa.europa.eu/)

Revision Date : 05/09/2026
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8