

## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

---

### SECTION 1. IDENTIFICATION

Product name : Cypermethrin Liquid Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 37 McCarville Street  
Charlottetown, PE C1E 2A7  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable



---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Sub-category 1A  
Carcinogenicity : Category 1B  
Reproductive toxicity : Category 2  
Specific target organ toxicity : Category 2 (Nervous system)  
- single exposure

#### GHS label elements

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.  
H350 May cause cancer.  
H361f Suspected of damaging fertility.  
H371 May cause damage to organs (Nervous system).

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P311 IF exposed or concerned: Call a doctor.

P333 + P313 If skin irritation or rash occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Propylene glycol	1,2-Propanediol	57-55-6*	>= 3 - <= 7	TSC
Cypermethrin	No data available	52315-07-8*	>= 3 - <= 7	TSC
Formaldehyde	Methyl aldehyde	50-00-0*	>= 0.1 - <= 1	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/23/2026
5.1	03/23/2026	10849847-00016	Date of first issue: 09/12/2022

---

In case of eye contact	:	Thoroughly clean shoes before reuse. Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. May cause cancer. Suspected of damaging fertility. May cause damage to organs.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO <sub>x</sub> )
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water.

---

## Cypermethrin Liquid Formulation

Version 5.1	Revision Date: 03/23/2026	SDS Number: 10849847-00016	Date of last issue: 03/23/2026 Date of first issue: 09/12/2022
----------------	------------------------------	-------------------------------	---

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

		(Form of exposure)	ters / Permissible concentration	
Propylene glycol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m <sup>3</sup>	CA ON OEL
		TWA (aerosol)	10 mg/m <sup>3</sup>	CA ON OEL
Cypermethrin	52315-07-8	TWA	50 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Formaldehyde	50-00-0	TWA	0.75 ppm 0.9 mg/m <sup>3</sup>	CA AB OEL
		(c)	1 ppm 1.3 mg/m <sup>3</sup>	CA AB OEL
		TWA	0.1 ppm	CA BC OEL
		STEL	0.3 ppm	CA BC OEL
		STEL	1 ppm	CA ON OEL
		C	1.5 ppm	CA ON OEL
		C	1.5 ppm	CA QC OEL
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and inorganic gas/vapor type

**Hand protection**  
**Material** : Chemical-resistant gloves

**Eye protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

---

engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	pink
Color	:	red
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	3.0 - 6.0
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.02
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

---

Viscosity  
Viscosity, kinematic                   : No data available

Explosive properties                    : Not explosive

Oxidizing properties                   : The substance or mixture is not classified as oxidizing.

Molecular weight                       : No data available

Particle characteristics  
Particle size                             : Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity                               : Not classified as a reactivity hazard.  
Chemical stability                     : Stable under normal conditions.  
Possibility of hazardous reac-     : Can react with strong oxidizing agents.  
tions  
Conditions to avoid                    : None known.  
Incompatible materials               : Oxidizing agents  
Hazardous decomposition             : No hazardous decomposition products are known.  
products

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### **Product:**

Acute oral toxicity                    : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity             : Acute toxicity estimate: > 20000 ppm  
Exposure time: 4 h  
Test atmosphere: gas  
Method: Calculation method

Acute dermal toxicity                 : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### **Components:**

**Propylene glycol:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

---

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **Cypermethrin:**

Acute oral toxicity : LD50 (Rat, female): 367 mg/kg  
LD50 (Rat, male): 891 mg/kg

Acute dermal toxicity : LD50 (Rat): > 4,800 mg/kg  
LD50 (Rabbit): > 2,400 mg/kg

### **Formaldehyde:**

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg  
Method: Expert judgment  
Remarks: Based on national or regional regulation.

Acute inhalation toxicity : Acute toxicity estimate (Rat): 100 ppm  
Exposure time: 4 h  
Test atmosphere: gas  
Method: Expert judgment

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Propylene glycol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Cypermethrin:**

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

#### **Formaldehyde:**

Result : Corrosive after 3 minutes to 1 hour of exposure  
Remarks : Based on national or regional regulation.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

---

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### Propylene glycol:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

##### Cypermethrin:

Species : Rabbit  
Result : No eye irritation  
Method : Draize Test

##### Formaldehyde:

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### Propylene glycol:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

##### Cypermethrin:

Test Type : Magnusson-Kligman-Test  
Species : Guinea pig  
Assessment : Did not cause sensitization on laboratory animals.  
Result : Not a skin sensitizer.

##### Formaldehyde:

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Skin contact  
Species : Humans  
Result : positive

Assessment : Probability or evidence of high skin sensitization rate in humans

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

---

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

#### Cypermethrin:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Result: negative

Test Type: Microbial mutagenesis assay (Ames test)  
Result: negative

Test Type: sister chromatid exchange assay  
Test system: Human lymphocytes  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Rat  
Application Route: Oral  
Result: positive

Test Type: In vivo micronucleus test  
Species: Rat  
Application Route: Dermal  
Result: positive

Test Type: In vivo micronucleus test  
Species: Rat  
Application Route: Intraperitoneal injection  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### Formaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: positive

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

---

Test Type: In vitro mammalian cell gene mutation test  
Result: positive

Test Type: Chromosome aberration test in vitro  
Result: positive

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay  
Species: Mouse  
Application Route: Inhalation  
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### **Carcinogenicity**

May cause cancer.

#### **Components:**

##### **Propylene glycol:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

##### **Formaldehyde:**

Species : Rat  
Application Route : inhalation (gas)  
Exposure time : 28 Months  
Result : positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

### **Reproductive toxicity**

Suspected of damaging fertility.

#### **Components:**

##### **Propylene glycol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

##### **Cypermethrin:**

Effects on fertility : Test Type: Fertility  
Species: Rat, male

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

---

Application Route: Oral  
Fertility: LOAEL: 68 mg/kg body weight  
Symptoms: Effects on fertility., male reproductive effects, Testicular effects

Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: NOAEL: 6.25 mg/kg body weight  
Target Organs: male reproductive organs, Testis

Effects on fetal development : Test Type: Three-generation reproduction toxicity study  
Species: Mouse  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 5 mg/kg body weight  
Symptoms: No effects on fetal development., No effect on reproduction capacity., Reduced body weight

Test Type: Reproduction/Developmental toxicity screening test  
Species: Rabbit  
Application Route: Oral  
Teratogenicity: NOAEL: 30 mg/kg body weight  
Symptoms: No effects on fetal development.

Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Oral  
Teratogenicity: NOAEL: 17.5 mg/kg body weight  
Symptoms: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### Formaldehyde:

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: inhalation (gas)  
Result: negative

### STOT-single exposure

May cause damage to organs (Nervous system).

### Components:

#### Cypermethrin:

Target Organs : Nervous system  
Assessment : May cause damage to organs.

#### Formaldehyde:

Assessment : May cause respiratory irritation.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

---

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

#### Propylene glycol:

Species : Rat, male  
NOAEL :  $\geq 1,700$  mg/kg  
Application Route : Ingestion  
Exposure time : 2 y

#### Cypermethrin:

Species : Rat  
NOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Central nervous system

Species : Rabbit  
NOAEL : 12.5 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Central nervous system

Species : Dog  
NOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 1 y  
Symptoms : anxiety, central nervous system effects

Species : Rabbit  
NOAEL : 20 mg/kg  
Application Route : Dermal  
Exposure time : 3 Weeks  
Target Organs : male reproductive organs  
Symptoms : reduced body weight gain, reduced food consumption

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Cypermethrin:

General Information : Target Organs: Nervous system  
Symptoms: muscle weakness, central nervous system effects  
Remarks: Based on Human Evidence  
The most common side effects are:  
Remarks: paraesthesias

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

---

### Further information

#### Components:

#### **Cypermethrin:**

Remarks : Dermal absorption possible

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Propylene glycol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l  
Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l  
Exposure time: 18 h

#### **Cypermethrin:**

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0.39 µg/l  
Exposure time: 96 h

EC50 (Cyprinodon variegatus (sheepshead minnow)): 0.95 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0036 µg/l  
Exposure time: 48 h

EC50 (Americamysis): 0.00475 µg/l  
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.14 µg/l  
Exposure time: 30 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Mysidopsis bahia (opossum shrimp)): 0.000781 µg/l  
Exposure time: 28 d

#### **Formaldehyde:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

---

- Toxicity to fish : LC50 (Morone saxatilis (striped bass)): 6.7 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 5.8 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 4.89 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.04 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50 (activated sludge): 19 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **Propylene glycol:**

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98.3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

##### **Cypermethrin:**

- Biodegradation Simulation Tests : Environmental Compartment: Soil  
Value type: DT50  
Value: 60 d
- Stability in water : Degradation half life (DT50): 17 d

##### **Formaldehyde:**

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: 99 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301A

### Bioaccumulative potential

#### Components:

##### **Propylene glycol:**

- Partition coefficient: n-octanol/water : log Pow: -1.07  
Method: Regulation (EC) No. 440/2008, Annex, A.8

##### **Cypermethrin:**

- Bioaccumulation : Bioconcentration factor (BCF): 488

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/23/2026
5.1	03/23/2026	10849847-00016	Date of first issue: 09/12/2022

---

Partition coefficient: n-octanol/water : log Pow: 6.6

### Formaldehyde:

Partition coefficient: n-octanol/water : log Pow: 0.35  
Remarks: Calculation

### Mobility in soil

#### Components:

#### Cypermethrin:

Distribution among environmental compartments : log Koc: 5.58

#### Other adverse effects

No data available

#### Endocrine disrupting properties

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Cypermethrin)

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Cypermethrin)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/23/2026
5.1	03/23/2026	10849847-00016	Date of first issue: 09/12/2022

---

Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cypermethrin)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cypermethrin)  
Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes(Cypermethrin)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
CA. DSL : not determined  
CN IECSC : not determined

### Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version 5.1      Revision Date: 03/23/2026      SDS Number: 10849847-00016      Date of last issue: 03/23/2026  
Date of first issue: 09/12/2022

---

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / (c)	:	ceiling occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA ON OEL / C	:	Ceiling Limit (C)
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA ON OEL / STEL	:	Short-Term Exposure Limit (STEL)
CA QC OEL / C	:	Ceiling

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/23/2026
5.1	03/23/2026	10849847-00016	Date of first issue: 09/12/2022

---

compile the Material Safety  
Data Sheet

eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 03/23/2026  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8