

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version 5.0      Revision Date: 04/29/2026      SDS Number: 10839984-00012      Date of last issue: 01/21/2026  
Date of first issue: 08/25/2022

---

### SECTION 1. IDENTIFICATION

Product name : Chlorhexidine (4.79%) Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 37 McCarville Street  
Charlottetown, PE C1E 2A7  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2A  
Specific target organ toxicity : Category 2 (Liver)  
- repeated exposure

#### GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.  
H373 May cause damage to organs (Liver) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P280 Wear eye protection and face protection.  
**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 Get medical attention if you feel unwell.  
P337 + P313 If eye irritation persists: Get medical attention.

**Disposal:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version 5.0      Revision Date: 04/29/2026      SDS Number: 10839984-00012      Date of last issue: 01/21/2026  
Date of first issue: 08/25/2022

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS No./Unique ID	Concentration (% w/w)	Trade secret
D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediimidine (2:1)	No data available	18472-51-0*	$\geq 3 - \leq 7$	TSC
Nonylphenol, ethoxylated	Poly(oxy-1,2-ethanediyl), .alpha.a.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9*	$\geq 0.5 - \leq 1.5$	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.  
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
5.0	04/29/2026	10839984-00012	Date of first issue: 08/25/2022

---

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding
-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version 5.0      Revision Date: 04/29/2026      SDS Number: 10839984-00012      Date of last issue: 01/21/2026  
Date of first issue: 08/25/2022

certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1)	18472-51-0	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version 5.0      Revision Date: 04/29/2026      SDS Number: 10839984-00012      Date of last issue: 01/21/2026  
Date of first issue: 08/25/2022

---

exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Color : blue

Odor : No data available

Odor Threshold : No data available

pH : 5.55 - 6.65 (20 °C)

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
5.0	04/29/2026	10839984-00012	Date of first issue: 08/25/2022

---

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.010 - 1.020
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
5.0	04/29/2026	10839984-00012	Date of first issue: 08/25/2022

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### D-gluconic acid, compound with N,N"-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1):

Acute oral toxicity : LD50 Oral (Mouse): 1,260 mg/kg  
LD50 Oral (Rabbit): 1,100 mg/kg  
LD50 Oral (Rat): 2,000 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Rat): 21 mg/kg  
Application Route: Intravenous

##### **Nonylphenol, ethoxylated:**

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### **Nonylphenol, ethoxylated:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Components:

##### D-gluconic acid, compound with N,N"-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1):

Species : Rabbit  
Result : Mild eye irritation

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version 5.0      Revision Date: 04/29/2026      SDS Number: 10839984-00012      Date of last issue: 01/21/2026  
Date of first issue: 08/25/2022

---

### **Nonylphenol, ethoxylated:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

### **Components:**

#### **Nonylphenol, ethoxylated:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **D-gluconic acid, compound with N,N"-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative  
  
Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Mouse  
Result: negative  
  
Test Type: Cytogenetic assay  
Species: Hamster  
Result: negative

#### **Nonylphenol, ethoxylated:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

### **Carcinogenicity**

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version 5.0      Revision Date: 04/29/2026      SDS Number: 10839984-00012      Date of last issue: 01/21/2026  
Date of first issue: 08/25/2022

---

### Components:

#### **D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1):**

Species	: Rat
Application Route	: oral (drinking water)
Exposure time	: 2 Years
Frequency of Treatment	: daily
NOAEL	: 38 mg/kg body weight
Result	: negative

Species	: Rat
Application Route	: oral (drinking water)
Exposure time	: 2 Years
Frequency of Treatment	: daily
NOAEL	: 158 mg/kg body weight
Result	: negative

### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1):**

Effects on fertility	: Species: Rat Fertility: NOAEL: 100 mg/kg body weight
Effects on fetal development	: Species: Rat Developmental Toxicity: NOAEL: 300 mg/kg body weight
	: Species: Rabbit Developmental Toxicity: NOAEL: 40 mg/kg body weight

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

May cause damage to organs (Liver) through prolonged or repeated exposure.

### Components:

#### **D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1):**

Target Organs	: Liver
Assessment	: May cause damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version 5.0      Revision Date: 04/29/2026      SDS Number: 10839984-00012      Date of last issue: 01/21/2026  
Date of first issue: 08/25/2022

---

### Repeated dose toxicity

#### Components:

#### **D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1):**

Species	:	Rat
NOAEL	:	158 mg/kg
Application Route	:	Oral
Exposure time	:	2 y

Species	:	Rabbit
LOAEL	:	250 mg/kg
Application Route	:	Dermal
Exposure time	:	13 Weeks
Target Organs	:	Skin, Liver

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### **D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1):**

General Information	:	Symptoms: Headache
Inhalation	:	Target Organs: Lungs Symptoms: Asthmatic appearance, bronchospasm, discomfort in the chest, upper respiratory tract infection
Ingestion	:	Target Organs: Gastrointestinal tract Symptoms: Gastrointestinal disturbance, Gastrointestinal tract damage

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1):**

Toxicity to fish	:	(Fish): 2.088 mg/l Exposure time: 96 h Method: ECOSAR (Ecological Structure Activity Relationships)
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.222 mg/l Exposure time: 48 h Method: ECOSAR (Ecological Structure Activity Relationships)
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.124 mg/l

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version 5.0      Revision Date: 04/29/2026      SDS Number: 10839984-00012      Date of last issue: 01/21/2026  
Date of first issue: 08/25/2022

End point: Growth rate  
Exposure time: 96 hrs  
Method: ECOSAR (Ecological Structure Activity Relationships)

### **Nonylphenol, ethoxylated:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l  
Exposure time: 100 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

### **Persistence and degradability**

#### **Components:**

#### **D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1):**

Biodegradability : Remarks: Not inherently biodegradable.

#### **Nonylphenol, ethoxylated:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

### **Bioaccumulative potential**

#### **Components:**

#### **D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1):**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
5.0	04/29/2026	10839984-00012	Date of first issue: 08/25/2022

Partition coefficient: n-octanol/water : log Pow: 4.85

### **Nonylphenol, ethoxylated:**

Partition coefficient: n-octanol/water : log Pow: 4.48

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

### **Endocrine disrupting properties**

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(D-gluconic acid, compound with N,N"-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1), Nonylphenol, ethoxylated)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

#### **IATA-DGR**

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(D-gluconic acid, compound with N,N"-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1), Nonylphenol, ethoxylated)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version 5.0      Revision Date: 04/29/2026      SDS Number: 10839984-00012      Date of last issue: 01/21/2026  
Date of first issue: 08/25/2022

Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(D-gluconic acid, compound with N,N"-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediimidine (2:1), Nonylphenol, ethoxylated)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(D-gluconic acid, compound with N,N"-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediimidine (2:1), Nonylphenol, ethoxylated)

Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes(D-gluconic acid, compound with N,N"-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediimidine (2:1), Nonylphenol, ethoxylated)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined

CA. DSL : not determined

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
5.0	04/29/2026	10839984-00012	Date of first issue: 08/25/2022

CN IECSC : not determined

### Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 04/29/2026  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
5.0	04/29/2026	10839984-00012	Date of first issue: 08/25/2022

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8