

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version 7.0      Revision Date: 05/09/2026      SDS Number: 10846408-00012      Date of last issue: 01/21/2026  
Date of first issue: 09/06/2022

---

### SECTION 1. IDENTIFICATION

Product name : Fenbendazole (2.50%) Liquid Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 37 McCarville Street  
Charlottetown, PE C1E 2A7  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable


---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 2  
Specific target organ toxicity : Category 2 (Liver, Stomach, Nervous system, Lymph nodes)  
- repeated exposure (Oral)

#### GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H373 May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.  
**Response:**  
P308 + P313 IF exposed or concerned: Get medical attention.

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version 7.0      Revision Date: 05/09/2026      SDS Number: 10846408-00012      Date of last issue: 01/21/2026  
Date of first issue: 09/06/2022

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS No./Unique ID	Concentration (% w/w)	Trade secret
fenbendazole	No data available	43210-67-9*	$\geq 1 - \leq 5$	TSC
Benzyl alcohol	Benzenemethanol	100-51-6*	$\geq 0.1 - \leq 1$	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging fertility. Suspected of damaging the unborn child.  
May cause damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
7.0	05/09/2026	10846408-00012	Date of first issue: 09/06/2022

---

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulfur oxides  
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to
-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version 7.0      Revision Date: 05/09/2026      SDS Number: 10846408-00012      Date of last issue: 01/21/2026  
Date of first issue: 09/06/2022

determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapors.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
fenbendazole	43210-67-9	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection : Chemical-resistant gloves
- Material
- Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions,



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
7.0	05/09/2026	10846408-00012	Date of first issue: 09/06/2022

---

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### **Product:**

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version 7.0      Revision Date: 05/09/2026      SDS Number: 10846408-00012      Date of last issue: 01/21/2026  
Date of first issue: 09/06/2022

---

### Components:

#### **fenbendazole:**

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg  
LD50 (Mouse): > 10,000 mg/kg

#### **Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **fenbendazole:**

Species : Rabbit  
Result : No skin irritation

#### **Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### Components:

#### **fenbendazole:**

Species : Rabbit  
Result : No eye irritation

#### **Benzyl alcohol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version 7.0      Revision Date: 05/09/2026      SDS Number: 10846408-00012      Date of last issue: 01/21/2026  
Date of first issue: 09/06/2022

---

### Respiratory sensitization

Not classified based on available information.

#### Components:

##### **Benzyl alcohol:**

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Skin contact  
Species : Humans  
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization rate in humans

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **fenbendazole:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: DNA Repair  
Result: negative  
  
Test Type: Chromosomal aberration  
Result: negative  
  
Test Type: in vitro test  
Test system: mouse lymphoma cells  
Metabolic activation: Metabolic activation  
Result: equivocal

##### **Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Not classified based on available information.

#### Components:

##### **fenbendazole:**

Species : Mouse  
Application Route : oral (feed)  
Exposure time : 2 Years

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version 7.0      Revision Date: 05/09/2026      SDS Number: 10846408-00012      Date of last issue: 01/21/2026  
Date of first issue: 09/06/2022

---

NOAEL : 405 mg/kg body weight  
Result : negative

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 5 mg/kg body weight  
Result : negative  
Target Organs : Lymph nodes, Liver

### **Benzyl alcohol:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Method : OECD Test Guideline 451  
Result : negative

### **Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

### **Components:**

#### **fenbendazole:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
General Toxicity Parent: NOAEL: 15 mg/kg body weight  
Fertility: LOAEL: 45 mg/kg body weight  
Result: Effects on fertility.

Effects on fetal development : Test Type: Development  
Species: Dog, female  
Application Route: Oral  
Developmental Toxicity: LOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 25 mg/kg body weight  
Result: Fetotoxicity.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 120 mg/kg body weight  
Result: No effects on fetal development.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version 7.0      Revision Date: 05/09/2026      SDS Number: 10846408-00012      Date of last issue: 01/21/2026  
Date of first issue: 09/06/2022

---

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

### **Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

### **Components:**

#### **fenbendazole:**

Routes of exposure : Ingestion  
Target Organs : Liver, Stomach, Nervous system, Lymph nodes  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

### **Components:**

#### **fenbendazole:**

Species : Rat  
LOAEL : 500 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks  
Target Organs : Kidney, Liver

Species : Rat  
NOAEL : > 2,500 mg/kg  
Application Route : Oral  
Exposure time : 30 Days  
Remarks : No significant adverse effects were reported

Species : Rat  
LOAEL : 1,600 mg/kg  
Application Route : Oral

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version 7.0      Revision Date: 05/09/2026      SDS Number: 10846408-00012      Date of last issue: 01/21/2026  
Date of first issue: 09/06/2022

---

Exposure time : 90 Days  
Target Organs : Central nervous system  
Symptoms : Tremors

Species : Dog  
NOAEL : 4 mg/kg  
LOAEL : 8 mg/kg  
Exposure time : 6 Months  
Target Organs : Stomach, Nervous system, Lymph nodes

### **Benzyl alcohol:**

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

### **Aspiration toxicity**

Not classified based on available information.

### **Components:**

#### **fenbendazole:**

|| No aspiration toxicity classification

### **Experience with human exposure**

### **Components:**

#### **fenbendazole:**

|| Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhea

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### **Components:**

#### **fenbendazole:**

|| Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l  
Exposure time: 21 d

|| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0088 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

|| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00113 mg/l  
Exposure time: 21 Days  
Method: OECD Test Guideline 211

### **Benzyl alcohol:**

|| Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version 7.0      Revision Date: 05/09/2026      SDS Number: 10846408-00012      Date of last issue: 01/21/2026  
Date of first issue: 09/06/2022

---

	Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

### Persistence and degradability

#### Components:

##### **Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

### Bioaccumulative potential

#### Components:

##### **fenbendazole:**

Partition coefficient: n-octanol/water : log Pow: 3.32

##### **Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

### Mobility in soil

#### Components:

##### **fenbendazole:**

Distribution among environmental compartments : log Koc: 3.8 - 4.7  
Method: FDA 3.08

### Other adverse effects

No data available

### Endocrine disrupting properties

No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version 7.0      Revision Date: 05/09/2026      SDS Number: 10846408-00012      Date of last issue: 01/21/2026  
Date of first issue: 09/06/2022

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

- UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(fenbendazole)
- Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

- UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(fenbendazole)
- Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

##### IMDG-Code

- UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(fenbendazole)
- Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

- UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
7.0	05/09/2026	10846408-00012	Date of first issue: 09/06/2022

	N.O.S. (fenbendazole)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(fenbendazole)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS	: not determined
CA. DSL	: not determined
CN IECSC	: not determined

### Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fenbendazole (2.50%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/21/2026
7.0	05/09/2026	10846408-00012	Date of first issue: 09/06/2022

---

Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8