

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

tion.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical attention if you feel unwell.

P332 + P313 If skin irritation occurs: Get medical attention.

P337 + P313 If eye irritation persists: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Niclosamide ethanolamine salt	2',5-dichloro-4'-nitrosalicylanilide	1420-04-8*	>= 45 - <= 70	TSC
Kaolin	Hydrated aluminum silicate	1332-58-7*	>= 10 - <= 30	TSC
Silica gel, precipitated, crystalline free	Amorphous precipitated silica	112926-00-8*	>= 7 - <= 13	TSC
Disodium EDTA, dihydrate	Ethylenediaminetetraacetic acid disodium salt dihydrate	6381-92-6*	>= 1 - <= 5	TSC
Ethanolamine	2-Aminoethanol	141-43-5*	>= 0.5 - <= 1.5	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- ||Notes to physician : Treat symptomatically and supportively.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- ||Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Metal oxides
Sulfur oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment : In the event of fire, wear self-contained breathing apparatus.
-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
7.0	05/09/2026	11498546-00008	Date of first issue: 12/23/2024

for fire-fighters Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.

Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

Materials to avoid : Store in accordance with the particular national regulations.
: Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Niclosamide ethanolamine salt	1420-04-8	TWA	>= 10 < 100 µg/m ³ (OEB 3)	Internal
Kaolin	1332-58-7	TWA (Respirable)	2 mg/m ³	CA AB OEL
		TWA (Respirable)	2 mg/m ³	CA BC OEL
		TWAEV (respirable aerosol fraction)	2 mg/m ³	CA QC OEL
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH
Silica gel, precipitated, crystalline free	112926-00-8	TWA (Respirable)	1.5 mg/m ³	CA BC OEL
		TWA (Total)	4 mg/m ³	CA BC OEL
Ethanolamine	141-43-5	TWA	3 ppm 7.5 mg/m ³	CA AB OEL
		STEL	6 ppm 15 mg/m ³	CA AB OEL
		TWA	3 ppm	CA BC OEL
		STEL	6 ppm	CA BC OEL
		TWAEV	3 ppm 7.5 mg/m ³	CA QC OEL
		STEV	6 ppm 15 mg/m ³	CA QC OEL
		TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

	exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates and organic vapor type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Color	: yellow
Odor	: characteristic
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
7.0	05/09/2026	11498546-00008	Date of first issue: 12/23/2024

Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 817.06 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Niclosamide ethanolamine salt:

Acute oral toxicity : LD50 (Rat): 500 mg/kg

Kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Silica gel, precipitated, crystalline free:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.69 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: Based on data from similar materials

Disodium EDTA, dihydrate:

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): > 1 mg/l

Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

Exposure time: 6 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 412

Ethanolamine:

Acute oral toxicity : LD50 (Rat): 1,089 mg/kg
Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Expert judgment
Remarks: Based on national or regional regulation.
Acute dermal toxicity : LD50 (Rabbit, female): 1,018 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:

Kaolin:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Silica gel, precipitated, crystalline free:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Ethanolamine:

Species : Rabbit
Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Kaolin:

Species : Rabbit
Result : No eye irritation

Silica gel, precipitated, crystalline free:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

Disodium EDTA, dihydrate:

Species : Rabbit
Result : No eye irritation

Ethanolamine:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Disodium EDTA, dihydrate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

Ethanolamine:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Niclosamide ethanolamine salt:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: negative

Silica gel, precipitated, crystalline free:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Disodium EDTA, dihydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Ethanolamine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Silica gel, precipitated, crystalline free:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

Result : negative
Remarks : Based on data from similar materials

Disodium EDTA, dihydrate:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative
Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

Niclosamide ethanolamine salt:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Silica gel, precipitated, crystalline free:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Disodium EDTA, dihydrate:

Effects on fertility : Test Type: Four-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

Ethanolamine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

STOT-single exposure

Not classified based on available information.

Components:

Ethanolamine:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure.

Components:

Disodium EDTA, dihydrate:

Routes of exposure : inhalation (dust/mist/fume)
Target Organs : Respiratory Tract
Assessment : May cause damage to organs through prolonged or repeated exposure.

Ethanolamine:

Assessment : No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

Repeated dose toxicity

Components:

Niclosamide ethanolamine salt:

Species : Rat
NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Silica gel, precipitated, crystalline free:

Species : Rat
NOAEL : > 4,500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

Disodium EDTA, dihydrate:

Species : Rat
NOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Species : Rat
LOAEL : 0.03 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 4 Weeks
Method : OECD Test Guideline 412

Ethanolamine:

Species : Rat
NOAEL : > 120 mg/kg
Application Route : Ingestion
Exposure time : > 75 Days
Remarks : Based on data from similar materials

Species : Rat
NOAEL : >= 0.15 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days
Method : OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Niclosamide ethanolamine salt:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0179 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia longispina (Water flea)): 0.0164 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 0.071 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.032 mg/l
Exposure time: 21 d

Silica gel, precipitated, crystalline free:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 10,000 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Scenedesmus subspicatus): > 10,000 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Disodium EDTA, dihydrate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 140 mg/l
Exposure time: 48 h
Method: DIN 38412

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l
Exposure time: 21 d

Toxicity to microorganisms : EC10 (activated sludge): > 500 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

Ethanolamine:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 349 mg/l
Exposure time: 96 h
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 65 mg/l
Exposure time: 48 h
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.8 mg/l

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

	Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Orange-red killifish)): 1.24 mg/l Exposure time: 41 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.85 mg/l Exposure time: 21 d
Toxicity to microorganisms	: EC10 (Pseudomonas putida): > 1,000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

Persistence and degradability

Components:

Disodium EDTA, dihydrate:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 2 % Exposure time: 28 d Method: OECD Test Guideline 301D
------------------	--

Ethanolamine:

Biodegradability	: Result: Readily biodegradable. Biodegradation: > 90 % Exposure time: 21 d Method: OECD Test Guideline 301A
------------------	---

Bioaccumulative potential

Components:

Niclosamide ethanolamine salt:

Bioaccumulation	: Species: Fish Bioconcentration factor (BCF): < 500 Remarks: Based on data from similar materials
Partition coefficient: n-octanol/water	: log Pow: 3.86 Remarks: Calculation

Disodium EDTA, dihydrate:

Bioaccumulation	: Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): < 500 Remarks: Based on data from similar materials
Partition coefficient: n-	: log Pow: -4.3

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
7.0	05/09/2026	11498546-00008	Date of first issue: 12/23/2024

|| octanol/water

Ethanolamine:

|| Partition coefficient: n- : log Pow: -2.3
|| octanol/water : Method: OECD Test Guideline 107

Mobility in soil

No data available

Other adverse effects

No data available

Endocrine disrupting properties

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Niclosamide ethanolamine salt)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Niclosamide ethanolamine salt)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo : 956
aircraft)
Packing instruction (passen- : 956
ger aircraft)
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
7.0	05/09/2026	11498546-00008	Date of first issue: 12/23/2024

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Niclosamide ethanolamine salt)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Niclosamide ethanolamine salt)
Class : 9
Packing group : III
Labels : 9
ERG Code : 171
Marine pollutant : yes(Niclosamide ethanolamine salt)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined
CA. DSL : not determined
CN IECSC : not determined

Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version 7.0 Revision Date: 05/09/2026 SDS Number: 11498546-00008 Date of last issue: 01/16/2026
Date of first issue: 12/23/2024

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA QC OEL / TWAEV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Niclosamide (50%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
7.0	05/09/2026	11498546-00008	Date of first issue: 12/23/2024

compile the Material Safety
Data Sheet

eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8