

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

### SECTION 1. IDENTIFICATION

Product name : Ferrous Fumarate / Manganese Sulfate Formulation  
Product code : BIO-GAMMAMIX

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Hazards for the product as supplied

Eye irritation : Category 2A  
Skin sensitization : Category 1  
Specific target organ toxicity : Category 1 (Brain)  
- repeated exposure

#### Other hazards

Contact with dust can cause mechanical irritation or drying of the skin.

#### Hazards associated with a change in physical form:

Conditions	Hazards
If small particles are generated during further processing, handling or by other means.	May form combustible dust concentrations in air.

#### GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H372 Causes damage to organs (Brain) through prolonged or

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

repeated exposure.

### Precautionary Statements

:

#### Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves, eye protection and face protection.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical attention.

P337 + P313 If eye irritation persists: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 81 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 81 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 81 %

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
3- $\alpha$ ,6- $\alpha$ -Dihydroxy-5- $\beta$ -cholan-24-oic acid	83-49-8*	$\geq 5 - \leq 10$	TSC
Iron(II) fumarate	141-01-5*	$\geq 3 - \leq 7$	TSC
Manganese sulfate	10034-96-5*	$\geq 1 - \leq 5$	TSC
Ascorbic acid	50-81-7*	$\geq 1 - \leq 5$	TSC

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

3,7-Dimethyl 2,6-octadienal	5392-40-5*	>= 0.1 - <= 1	TSC
-----------------------------	------------	---------------	-----

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
Causes serious eye irritation.  
Causes damage to organs through prolonged or repeated exposure.  
Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
3.0	05/09/2026	11570997-00003	Date of first issue: 08/22/2025

- 
- |  |   |   |
|--|---|---|
| Hazardous combustion products                  | : | Carbon oxides<br>Metal oxides   |
| Specific extinguishing methods                 | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |   |  |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).   |
| Environmental precautions   | : | Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained.  |
| Methods and materials for containment and cleaning up               | : | Sweep up or vacuum up spillage and collect in suitable container for disposal.<br>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).<br>Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.<br>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.<br>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

---

### SECTION 7. HANDLING AND STORAGE

- |                         |   |  |
|-------------------------|---|--|
| Technical measures      | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | Use only with adequate ventilation.  |
| Advice on safe handling | : | Do not get on skin or clothing.<br>Do not breathe dust.<br>Do not swallow.<br>Do not get in eyes.  |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

inert or nuisance dust	50 Million particles per cubic foot Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3
	15 mg/m <sup>3</sup> Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3
	5 mg/m <sup>3</sup> Value type (Form of exposure): TWA (respirable fraction) Basis: OSHA Z-3
	15 Million particles per cubic foot Value type (Form of exposure): TWA (respirable fraction) Basis: OSHA Z-3
Dust, nuisance dust and particulates	10 mg/m <sup>3</sup> Value type (Form of exposure): PEL (Total dust) Basis: CAL PEL
	5 mg/m <sup>3</sup> Value type (Form of exposure): PEL (respirable dust fraction) Basis: CAL PEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Iron(II) fumarate	141-01-5	TWA	1 mg/m <sup>3</sup>	ACGIH

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

			(Iron)	
		TWA	1 mg/m <sup>3</sup> (Iron)	NIOSH REL
Manganese sulfate	10034-96-5	C	5 mg/m <sup>3</sup> (Manganese)	OSHA Z-1
		TWA (Inhalable particulate matter)	0.1 mg/m <sup>3</sup> (Manganese)	ACGIH
		TWA (Respirable particulate matter)	0.02 mg/m <sup>3</sup> (Manganese)	ACGIH
		TWA	1 mg/m <sup>3</sup> (Manganese)	NIOSH REL
		ST	3 mg/m <sup>3</sup> (Manganese)	NIOSH REL
Ascorbic acid	50-81-7	TWA	5000 µg/m <sup>3</sup> (OEB 1)	Internal
3,7-Dimethyl 2,6-octadienal	5392-40-5	TWA (Inhalable fraction and vapor)	5 ppm	ACGIH

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
3.0	05/09/2026	11570997-00003	Date of first issue: 08/22/2025

Skin and body protection : Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.  
Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : brown

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
3.0	05/09/2026	11570997-00003	Date of first issue: 08/22/2025

---

Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

---

Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity : Acute toxicity estimate: 2,710 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

### Components:

#### 3- $\alpha$ ,6- $\alpha$ -Dihydroxy-5- $\beta$ -cholan-24-oic acid:

Acute oral toxicity : LD50 (Rat): 1,500 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg

#### Iron(II) fumarate:

Acute oral toxicity : LD50 (Rat): 3,850 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1.306 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): 20,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

#### Manganese sulfate:

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg  
Remarks: No test guideline followed

Acute inhalation toxicity : LC50 (Rat): > 4.98 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: The test was conducted according to guideline

#### Ascorbic acid:

Acute oral toxicity : LD50 (Rat): 11,900 mg/kg

#### 3,7-Dimethyl 2,6-octadienal:

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

Acute oral toxicity : LD50 (Rat, female): 4,895 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 0.68 mg/l  
Exposure time: 7 h  
Test atmosphere: vapor  
Acute dermal toxicity : LD50 (Rabbit): 2,250 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Iron(II) fumarate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### Manganese sulfate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : The test was conducted according to guideline

#### Ascorbic acid:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### 3,7-Dimethyl 2,6-octadienal:

Species : Rabbit  
Result : Skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### Manganese sulfate:

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405  
Remarks : The test was conducted according to guideline

#### Ascorbic acid:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

---

### 3,7-Dimethyl 2,6-octadienal:

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Iron(II) fumarate:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

#### Manganese sulfate:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : The test was conducted equivalent or similar to guideline  
Based on data from similar materials

#### Ascorbic acid:

Test Type : Maurer optimisation test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

### 3,7-Dimethyl 2,6-octadienal:

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Skin contact  
Result : positive

Assessment : Probability or evidence of skin sensitization in humans

### Germ cell mutagenicity

Not classified based on available information.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

### Components:

#### **Iron(II) fumarate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

#### **Manganese sulfate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

#### **Ascorbic acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

||

### 3,7-Dimethyl 2,6-octadienal:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Manganese sulfate:

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative

#### Ascorbic acid:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### 3,7-Dimethyl 2,6-octadienal:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 104 - 105 weeks  
Result : negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

---

### Repeated dose toxicity

#### Components:

##### **Manganese sulfate:**

Species : Rat, male  
NOAEL : 200 mg/kg  
Application Route : Ingestion  
Exposure time : 103 Weeks

##### **Ascorbic acid:**

Species : Rat, male  
NOAEL : >= 8,100 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks

##### **3,7-Dimethyl 2,6-octadienal:**

Species : Rat, female  
LOAEL : 335 mg/kg  
Application Route : Ingestion  
Exposure time : 14 Weeks

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **Manganese sulfate:**

Inhalation : Target Organs: Brain  
Symptoms: Tremors, Lack of coordination  
Remarks: Based on data from similar materials

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **3- $\alpha$ ,6- $\alpha$ -Dihydroxy-5- $\beta$ -cholan-24-oic acid:**

##### **Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic effects cannot be excluded  
Chronic aquatic toxicity : Toxic effects cannot be excluded

##### **Iron(II) fumarate:**

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials  ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50: > 300 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

### Manganese sulfate:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 1 - 10 mg/l Exposure time: 96 h Remarks: No test guideline followed
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Hyalella azteca (Amphipod)): > 1 - 10 mg/l Exposure time: 48 h Remarks: No test guideline followed Based on data from similar materials
Toxicity to algae/aquatic plants	: EC10 (Desmodesmus subspicatus (green algae)): 13 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline  ErC50 (Desmodesmus subspicatus (green algae)): 61 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline
Toxicity to fish (Chronic toxicity)	: NOEC (Salvelinus fontinalis (Brook trout)): > 1 mg/l Exposure time: 65 d Method: OECD Test Guideline 210 Remarks: The test was conducted equivalent or similar to guideline

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

Toxicity to microorganisms : NOEC (activated sludge): 560 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: The test was conducted according to guideline

### Ascorbic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,020 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to microorganisms : EC50: 140 mg/l  
Exposure time: 16 h  
Method: DIN 38 412 Part 8

### 3,7-Dimethyl 2,6-octadienal:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 6.78 mg/l  
Exposure time: 96 h  
Method: DIN 38412

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.8 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 103.8 mg/l  
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 3 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (activated sludge): 160 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

#### Ascorbic acid:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 5 d  
Method: OECD Test Guideline 302

#### 3,7-Dimethyl 2,6-octadienal:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 90 %  
Exposure time: 28 d  
Method: Directive 67/548/EEC Annex V, C.4.D.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

---

### Bioaccumulative potential

#### Components:

##### **3- $\alpha$ ,6- $\alpha$ -Dihydroxy-5- $\beta$ -cholan-24-oic acid:**

Partition coefficient: n-octanol/water : log Pow: 3.08

##### **Ascorbic acid:**

Partition coefficient: n-octanol/water : log Pow: -1.85

##### **3,7-Dimethyl 2,6-octadienal:**

Partition coefficient: n-octanol/water : log Pow: 2.76

#### **Mobility in soil**

No data available

#### **Other adverse effects**

No data available

#### **Endocrine disrupting properties**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### **Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

#### **Domestic regulation**

##### **49 CFR**

Not regulated as a dangerous good

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version 3.0      Revision Date: 05/09/2026      SDS Number: 11570997-00003      Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

### Special precautions for user

Not applicable

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Respiratory or skin sensitization  
Specific target organ toxicity (single or repeated exposure)  
Serious eye damage or eye irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Manganese sulfate	10034-96-5	>= 1 - < 5 %
-------------------	------------	--------------

### US State Regulations

#### Pennsylvania Right To Know

Yeast, ext.	8013-01-2
3- $\alpha$ ,6- $\alpha$ -Dihydroxy-5- $\beta$ -cholan-24-oic acid	83-49-8
Iron(II) fumarate	141-01-5
Manganese sulfate	10034-96-5

#### California List of Hazardous Substances

Iron(II) fumarate	141-01-5
Manganese sulfate	10034-96-5

#### California Permissible Exposure Limits for Chemical Contaminants

Iron(II) fumarate	141-01-5
Manganese sulfate	10034-96-5

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
CA. DSL : not determined  
CN IECSC : not determined

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version  
3.0

Revision Date:  
05/09/2026


SDS Number:  
11570997-00003

Date of last issue: 12/08/2025  
Date of first issue: 08/22/2025

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV / CED:

HEALTH	*	3
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CAL PEL	:	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
CAL PEL / PEL	:	Permissible exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / C	:	Ceiling
OSHA Z-3 / TWA	:	8-hour time weighted average

AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Ferrous Fumarate / Manganese Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
3.0	05/09/2026	11570997-00003	Date of first issue: 08/22/2025

International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8