

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

SECTION 1. IDENTIFICATION

Product name : Multivitamin (with Starch) Formulation
Product code : ANTISTRESS FISH
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 37 McCarville Street
Charlottetown, PE C1E 2A7
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use


Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2A
Skin sensitization : Category 1
Specific target organ toxicity : Category 3
- single exposure

GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Precautionary Statements : **Prevention:**
P261 Avoid breathing dust.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves, eye protection and face protection.

Response:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P337 + P313 If eye irritation persists: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 2.5 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 2.5 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 2.5 %

Other hazards

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Citric acid	2-hydroxypropane-1,2,3-tricarboxylic acid	77-92-9*	>= 10 - <= 30	TSC
Starch	Sago starch	9005-25-8*	>= 10 - <= 30	TSC
Ascorbic acid	No data available	50-81-7*	>= 7 - <= 13	TSC
(dl)-a-Tocopheryl acetate	2H-1-Benzopyran-6-ol, 3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-	7695-91-2*	>= 1 - <= 5	TSC

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

	trimethyltridecyl)-, 6-acetate			
3,7-Dimethyl 2,6-octadienal	2,6-Octadienal, 3,7-dimethyl-	5392-40-5*	$\geq 0.1 - \leq 1$	TSC
Cyanocobalamin	No data available	68-19-9*	$> 0 - \leq 0.1$	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Causes serious eye irritation.
May cause respiratory irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
2.0	05/09/2026	11574830-00003	Date of first issue: 09/11/2025

- Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Surround spill with absorbents and place a damp covering over the area to minimize entry of the material into the air.
Add excess liquid to allow the material to enter into solution.
Soak up with inert absorbent material.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

- Local/Total ventilation : and bonding, or inert atmospheres.
: If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
: Avoid breathing dust.
: Do not swallow.
: Do not get in eyes.
: Wash skin thoroughly after handling.
: Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
: Keep container tightly closed.
: Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.
: Minimize dust generation and accumulation.
: Keep container closed when not in use.
: Keep away from heat and sources of ignition.
: Take precautionary measures against static discharges.
: Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
: Store locked up.
: Keep tightly closed.
: Keep in a cool, well-ventilated place.
: Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	TWA	10 mg/m ³	CA AB OEL
		TWA (Total dust)	10 mg/m ³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m ³	CA BC OEL
		TWAEV (total dust)	10 mg/m ³	CA QC OEL
		TWA	10 mg/m ³	ACGIH
Ascorbic acid	50-81-7	TWA	5000 µg/m ³ (OEB 1)	Internal
(dl)-a-Tocopheryl acetate	7695-91-2	TWA	5000 µg/m ³ (OEB 1)	Internal
3,7-Dimethyl 2,6-octadienal	5392-40-5	TWAEV (inhalable fraction and va-	5 ppm	CA QC OEL

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

		pour)		
		TWA (Inhalable fraction and vapor)	5 ppm	ACGIH
Cyanocobalamin	68-19-9	TWA	15 µg/m3 (OEB 3)	Internal
		Wipe limit	150 µg/100 cm2	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.
Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
2.0	05/09/2026	11574830-00003	Date of first issue: 09/11/2025

Appearance	:	powder
Color	:	white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
2.0	05/09/2026	11574830-00003	Date of first issue: 09/11/2025

Molecular weight : No data available

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Citric acid:

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Ascorbic acid:

Acute oral toxicity : LD50 (Rat): 11,900 mg/kg

(dl)-a-Tocopheryl acetate:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity : LD50 (Rat): > 3,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

3,7-Dimethyl 2,6-octadienal:

Acute oral toxicity : LD50 (Rat, female): 4,895 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 0.68 mg/l
Exposure time: 7 h
Test atmosphere: vapor
Acute dermal toxicity : LD50 (Rabbit): 2,250 mg/kg

Cyanocobalamin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Citric acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Ascorbic acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

(dl)-a-Tocopheryl acetate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

3,7-Dimethyl 2,6-octadienal:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Citric acid:

Species : Rabbit

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Starch:

Species : Rabbit
Result : No eye irritation

Ascorbic acid:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

(dl)-a-Tocopheryl acetate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

3,7-Dimethyl 2,6-octadienal:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Starch:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Ascorbic acid:

Test Type : Maurer optimisation test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

(dl)-a-Tocopheryl acetate:

Test Type : Draize Test
Routes of exposure : Skin contact
Species : Humans
Result : negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

3,7-Dimethyl 2,6-octadienal:

|| Test Type : Human repeat insult patch test (HRIPT)
|| Routes of exposure : Skin contact
|| Result : positive

|| Assessment : Probability or evidence of skin sensitization in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Citric acid:

|| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro micronucleus test
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

|| Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative

Starch:

|| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Ascorbic acid:

|| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

|| Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

(dl)-a-Tocopheryl acetate:

|| Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

3,7-Dimethyl 2,6-octadienal:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Cyanocobalamin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Ascorbic acid:

Species : Mouse
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

(dl)-a-Tocopheryl acetate:

Species : Rat
Application Route : Ingestion

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

Exposure time : 104 weeks
Result : negative

3,7-Dimethyl 2,6-octadienal:

Species : Mouse
Application Route : Ingestion
Exposure time : 104 - 105 weeks
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Citric acid:

Effects on fetal development : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Ascorbic acid:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

(dl)-a-Tocopheryl acetate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Ingestion
Result: negative

3,7-Dimethyl 2,6-octadienal:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 443
Result: negative

Effects on fetal development : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 443
Result: negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

STOT-single exposure

May cause respiratory irritation.

Components:

Citric acid:

|| Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Citric acid:

|| Species : Rat
|| NOAEL : 4,000 mg/kg
|| LOAEL : 8,000 mg/kg
|| Application Route : Ingestion
|| Exposure time : 10 Days

Starch:

|| Species : Rat
|| NOAEL : $\geq 2,000$ mg/kg
|| Application Route : Skin contact
|| Exposure time : 28 Days
|| Method : OECD Test Guideline 410

Ascorbic acid:

|| Species : Rat, male
|| NOAEL : $\geq 8,100$ mg/kg
|| Application Route : Ingestion
|| Exposure time : 13 Weeks

(dl)-a-Tocopheryl acetate:

|| Species : Rat
|| NOAEL : 500 mg/kg
|| Application Route : Ingestion
|| Exposure time : 90 Days

3,7-Dimethyl 2,6-octadienal:

|| Species : Rat, female
|| NOAEL : 335 mg/kg
|| Application Route : Ingestion
|| Exposure time : 14 Weeks

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Citric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l
Exposure time: 24 h

Ascorbic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,020 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to microorganisms : EC50: 140 mg/l
Exposure time: 16 h
Method: DIN 38 412 Part 8

(dl)-a-Tocopheryl acetate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l
Exposure time: 28 d

Toxicity to microorganisms : EC50: > 927 mg/l
Exposure time: 30 min
Method: ISO 8192

3,7-Dimethyl 2,6-octadienal:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 6.78 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

	Method: DIN 38412
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 6.8 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): 103.8 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): 3 mg/l Exposure time: 72 h
Toxicity to microorganisms	: EC50 (activated sludge): 160 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

Cyanocobalamin:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 1 - 10 mg/l Exposure time: 14 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): > 10 - 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EC50 (Champia parvula (marine algae)): > 0.1 - 1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials EC10 (Lemna minor (common duckweed)): > 0.1 - 1 mg/l Exposure time: 7 d Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC (Danio rerio (zebra fish)): > 1 mg/l Exposure time: 16 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): > 0.1 - 1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials

Persistence and degradability

Components:

Citric acid:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---

Ascorbic acid:

Biodegradability	: Result: Readily biodegradable.
------------------	----------------------------------

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version 2.0 Revision Date: 05/09/2026 SDS Number: 11574830-00003 Date of last issue: 12/08/2025
Date of first issue: 09/11/2025

Biodegradation: 97 %
Exposure time: 5 d
Method: OECD Test Guideline 302

(dl)-a-Tocopheryl acetate:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 21.7 - 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

3,7-Dimethyl 2,6-octadienal:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 90 %
Exposure time: 28 d
Method: Directive 67/548/EEC Annex V, C.4.D.

Bioaccumulative potential

Components:

Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1.72

Ascorbic acid:

Partition coefficient: n-octanol/water : log Pow: -1.85

3,7-Dimethyl 2,6-octadienal:

Partition coefficient: n-octanol/water : log Pow: 2.76

Mobility in soil

No data available

Other adverse effects

No data available

Endocrine disrupting properties

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
2.0	05/09/2026	11574830-00003	Date of first issue: 09/11/2025

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

CA. DSL : not determined

CN IECSC : not determined

Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA EV	:	Time-weighted average exposure value

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Multivitamin (with Starch) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
2.0	05/09/2026	11574830-00003	Date of first issue: 09/11/2025

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8