

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

SECTION 1. IDENTIFICATION

Product name : Sulfadimethoxine / Ormetoprim Formulation
Product code : Osamet Shrimp

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Skin sensitization : Category 1

Specific target organ toxicity : Category 2
- repeated exposure

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.

Hazards associated with a change in physical form:

Conditions	Hazards
If small particles are generated during further processing, handling or by other means.	May form combustible dust concentrations in air.

GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

P260 Do not breathe dust.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P314 Get medical attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Wheat Flour	130498-22-5*	>= 10 - <= 30	TSC
Starch	9005-25-8*	>= 10 - <= 30	TSC
Sulfadimethoxine	122-11-2*	>= 7 - <= 13	TSC
Ascorbic acid	50-81-7*	>= 3 - <= 7	TSC
(dl)-a-Tocopheryl acetate	7695-91-2*	>= 3 - <= 7	TSC
Silicon dioxide	7631-86-9*	>= 1 - <= 5	TSC
Ormetoprim	6981-18-6*	>= 1 - <= 5	TSC
Selenium proteinate	-	>= 1 - <= 5	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
May cause damage to organs through prolonged or repeated exposure.
Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
Metal oxides
Oxides of phosphorus
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing. Do not breathe dust. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers. Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types: Strong oxidizing agents
-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

inert or nuisance dust 50 Million particles per cubic foot
Value type (Form of exposure): TWA (total dust)
Basis: OSHA Z-3

15 mg/m³
Value type (Form of exposure): TWA (total dust)
Basis: OSHA Z-3

5 mg/m³
Value type (Form of exposure): TWA (respirable fraction)
Basis: OSHA Z-3

15 Million particles per cubic foot
Value type (Form of exposure): TWA (respirable fraction)
Basis: OSHA Z-3

Dust, nuisance dust and particulates 10 mg/m³
Value type (Form of exposure): PEL (Total dust)
Basis: CAL PEL

5 mg/m³
Value type (Form of exposure): PEL (respirable dust fraction)
Basis: CAL PEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Wheat Flour	130498-22-5	TWA (inhalable dust)	0.5 mg/m ³	ACGIH
Starch	9005-25-8	TWA	10 mg/m ³	ACGIH
		TWA (Respirable)	5 mg/m ³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
Sulfadimethoxine	122-11-2	TWA	>= 100 < 1000 µg/m ³ (OEB 2)	Internal
Ascorbic acid	50-81-7	TWA	5000 µg/m ³ (OEB 1)	Internal
(dl)-a-Tocopheryl acetate	7695-91-2	TWA	5000 µg/m ³ (OEB 1)	Internal
Silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m ³ / %SiO ₂	OSHA Z-3

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

			(Silica)	
		TWA	6 mg/m ³ (Silica)	NIOSH REL
Ormetoprim	6981-18-6	TWA	>= 100 < 1000 µg/m ³ (OEB 2)	Internal
Selenium proteinate	Not Assigned	TWA	0.2 mg/m ³ (selenium)	OSHA Z-1
		TWA	0.2 mg/m ³ (selenium)	ACGIH
		TWA	0.2 mg/m ³ (selenium)	NIOSH REL

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02/05/2026
5.2	05/09/2026	11513550-00008	Date of first issue: 02/25/2025

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 63.58 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Sulfadimethoxine:

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

Ascorbic acid:

Acute oral toxicity : LD50 (Rat): 11,900 mg/kg

(dl)-a-Tocopheryl acetate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 3,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Silicon dioxide:

Acute oral toxicity : LD50 (Rat): > 5,110 mg/kg
Method: OECD Test Guideline 401
Remarks: The test was conducted according to guideline

Acute inhalation toxicity : LC50 (Rat): > 5.198 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: The test was conducted according to guideline

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: No test guideline followed

Ormetoprim:

Acute oral toxicity : LD50 (Mouse): 440 mg/kg

Selenium proteinate:

Acute oral toxicity : Acute toxicity estimate (Rat): 500 mg/kg
Method: Expert judgment
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Ascorbic acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

(dl)-a-Tocopheryl acetate:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Silicon dioxide:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : The test was conducted according to guideline

Ormetoprim:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Starch:

Species : Rabbit
Result : No eye irritation

Ascorbic acid:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

(dl)-a-Tocopheryl acetate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Silicon dioxide:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : The test was conducted equivalent or similar to guideline

Ormetoprim:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02/05/2026
5.2	05/09/2026	11513550-00008	Date of first issue: 02/25/2025

Respiratory sensitization

Not classified based on available information.

Components:

Starch:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Sulfadimethoxine:

Assessment	:	Probability or evidence of skin sensitization in humans
------------	---	---

Ascorbic acid:

Test Type	:	Maurer optimisation test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

(dl)-a-Tocopheryl acetate:

Test Type	:	Draize Test
Routes of exposure	:	Skin contact
Species	:	Humans
Result	:	negative

Silicon dioxide:

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	The test was conducted according to guideline

Germ cell mutagenicity

Not classified based on available information.

Components:

Starch:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

Ascorbic acid:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

(dl)-a-Tocopheryl acetate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Silicon dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: The test was conducted according to guideline

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 475
Result: negative
Remarks: The test was conducted equivalent or similar to guideline

Ormetoprim:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Selenium proteinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: The test was conducted according to guideline
Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: The test was conducted according to guideline
Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Method: OECD Test Guideline 474
Result: negative
Remarks: The test was conducted according to guideline
Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Ascorbic acid:

Species : Mouse
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

(dl)-a-Tocopheryl acetate:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Silicon dioxide:

Species : Rat
Application Route : Ingestion

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02/05/2026
5.2	05/09/2026	11513550-00008	Date of first issue: 02/25/2025

Exposure time : 103 weeks
Result : negative
Remarks : No test guideline followed

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Ascorbic acid:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

(dl)-a-Tocopheryl acetate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Ingestion
Result: negative

Silicon dioxide:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: The test was conducted according to guideline

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: The test was conducted according to guideline

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Ormetoprim:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Selenium proteinate:

Routes of exposure : Ingestion
Assessment : May cause damage to organs through prolonged or repeated exposure.
Remarks : Based on data from similar materials

Repeated dose toxicity

Components:

Starch:

Species : Rat
NOAEL : $\geq 2,000$ mg/kg
Application Route : Skin contact
Exposure time : 28 Days
Method : OECD Test Guideline 410

Sulfadimethoxine:

Species : Rat
LOAEL : 9,100 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Ascorbic acid:

Species : Rat, male
NOAEL : $\geq 8,100$ mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

(dl)- α -Tocopheryl acetate:

Species : Rat
NOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Silicon dioxide:

Species : Rat
NOAEL : > 100 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

Application Route : Ingestion
Exposure time : 26 Weeks
Method : OECD Test Guideline 408
Remarks : The test was conducted equivalent or similar to guideline

Species : Rat
NOAEL : > 2,000 mg/kg
Application Route : Skin contact
Exposure time : 13 Weeks
Method : OECD Test Guideline 411
Remarks : The test was conducted according to guideline

Ormetoprim:

Species : Dog
LOAEL : 60 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Selenium proteinate:

Species : Monkey
LOAEL : < 100 mg/kg
Application Route : Ingestion
Exposure time : 30 Days
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sulfadimethoxine:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 248 mg/l
aquatic invertebrates Exposure time: 48 h

Ascorbic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,020 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to microorganisms : EC50: 140 mg/l
Exposure time: 16 h
Method: DIN 38 412 Part 8

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

(dl)-a-Tocopheryl acetate:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l
Exposure time: 28 d
- Toxicity to microorganisms : EC50: > 927 mg/l
Exposure time: 30 min
Method: ISO 8192

Silicon dioxide:

- Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 203
Remarks: The test was conducted according to guideline
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 202
Remarks: The test was conducted according to guideline
- Toxicity to algae/aquatic plants : EL50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: The test was conducted according to guideline
- NOELR (Desmodesmus subspicatus (green algae)): 10,000 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: The test was conducted according to guideline

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : (Daphnia magna (Water flea)): 132.7 mg/l
Exposure time: 21 d
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 211
Remarks: The test was conducted according to guideline

Toxicity to microorganisms : NOEC (activated sludge): 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: The test was conducted according to guideline

Ormetoprim:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 400 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 33 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 90 mg/l
Exposure time: 72 h

Selenium proteinate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 202
Remarks: The test was conducted according to guideline
Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Chlamydomonas reinhardtii (green algae)): > 10 - 100 mg/l
Exposure time: 96 h
Remarks: No test guideline followed
Based on data from similar materials

NOEC (Chlamydomonas reinhardtii (green algae)): > 1 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201
Remarks: The test was conducted equivalent or similar to guideline
Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l
Exposure time: 28 d
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 215
Remarks: The test was conducted according to guideline

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 0.1 - 1 mg/l
Exposure time: 21 d
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 211
Remarks: The test was conducted according to guideline
Based on data from similar materials

Persistence and degradability

Components:

Ascorbic acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 5 d
Method: OECD Test Guideline 302

(dl)-a-Tocopheryl acetate:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 21.7 - 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

Sulfadimethoxine:

Partition coefficient: n-octanol/water : log Pow: 1.1

Ascorbic acid:

Partition coefficient: n-octanol/water : log Pow: -1.85

Ormetoprim:

Partition coefficient: n-octanol/water : log Pow: 1.23

Mobility in soil

No data available

Other adverse effects

No data available

Endocrine disrupting properties

No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.
-

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization
Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Selenium pro- teinate	Not As- signed	>= 1 - < 5 %
--------------------------	-------------------	--------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02/05/2026
5.2	05/09/2026	11513550-00008	Date of first issue: 02/25/2025

US State Regulations

Pennsylvania Right To Know

Wheat Flour	130498-22-5
Starch	9005-25-8
Calcium hydrogenorthophosphate dihydrate	7789-77-7
Sulfadimethoxine	122-11-2
Ascorbic acid	50-81-7
(dl)- α -Tocopheryl acetate	7695-91-2
Silicon dioxide	7631-86-9
Selenium proteinate	Not Assigned

California List of Hazardous Substances

Silicon dioxide	7631-86-9
Selenium proteinate	Not Assigned

California Permissible Exposure Limits for Chemical Contaminants

Wheat Flour	130498-22-5
Starch	9005-25-8
Silicon dioxide	7631-86-9
Selenium proteinate	Not Assigned

The ingredients of this product are reported in the following inventories:

AICS	: not determined
CA. DSL	: not determined
CN IECSC	: not determined

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version 5.2 Revision Date: 05/09/2026 SDS Number: 11513550-00008 Date of last issue: 02/05/2026
Date of first issue: 02/25/2025

NFPA 704:



HMIS® IV / CED:

HEALTH	*	2
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CAL PEL	:	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
CAL PEL / PEL	:	Permissible exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Pre-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Sulfadimethoxine / Ormetoprim Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02/05/2026
5.2	05/09/2026	11513550-00008	Date of first issue: 02/25/2025

vention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8