

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version 5.1      Revision Date: 05/09/2026      SDS Number: 10607436-00012      Date of last issue: 12/08/2025  
Date of first issue: 02/14/2022

### SECTION 1. IDENTIFICATION

Product name : Sotatercept Solid Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Hazards for the product as supplied

Reproductive toxicity : Category 1B  
Specific target organ toxicity : Category 1 (Blood, Immune system, Liver)  
- repeated exposure

#### Other hazards

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.

#### Hazards associated with a change in physical form:

Conditions	Hazards
If small particles are generated during further processing, handling or by other means.	May form combustible dust concentrations in air.

#### GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H360FD May damage fertility. May damage the unborn child.  
H372 Causes damage to organs (Blood, Immune system, Liver) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version 5.1      Revision Date: 05/09/2026      SDS Number: 10607436-00012      Date of last issue: 12/08/2025  
Date of first issue: 02/14/2022

P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container to an approved waste disposal plant.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Sucrose	57-50-1*	>= 45 - <= 70	TSC
Sotatercept	1001080-50-7*	>= 30 - <= 60	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms : May damage fertility. May damage the unborn child.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
5.1	05/09/2026	10607436-00012	Date of first issue: 02/14/2022

---

and effects, both acute and delayed		Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal.

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
5.1	05/09/2026	10607436-00012	Date of first issue: 02/14/2022

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- |                             |   |  |
|-----------------------------|---|--|
| Technical measures          | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.   |
| Local/Total ventilation     | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.  |
| Advice on safe handling     | : | Do not get on skin or clothing.<br>Do not breathe dust.<br>Do not swallow.<br>Avoid contact with eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labeled containers.<br>Store locked up.<br>Keep tightly closed.<br>Store in accordance with the particular national regulations.  |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents<br>Self-reactive substances and mixtures<br>Organic peroxides<br>Explosives<br>Gases   |

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

inert or nuisance dust	50 Million particles per cubic foot
------------------------	-------------------------------------

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version 5.1      Revision Date: 05/09/2026      SDS Number: 10607436-00012      Date of last issue: 12/08/2025  
Date of first issue: 02/14/2022

Value type (Form of exposure): TWA (total dust)  
Basis: OSHA Z-3

15 mg/m<sup>3</sup>  
Value type (Form of exposure): TWA (total dust)  
Basis: OSHA Z-3

5 mg/m<sup>3</sup>  
Value type (Form of exposure): TWA (respirable fraction)  
Basis: OSHA Z-3

15 Million particles per cubic foot  
Value type (Form of exposure): TWA (respirable fraction)  
Basis: OSHA Z-3

Dust, nuisance dust and particulates

10 mg/m<sup>3</sup>  
Value type (Form of exposure): PEL (Total dust)  
Basis: CAL PEL

5 mg/m<sup>3</sup>  
Value type (Form of exposure): PEL (respirable dust fraction)  
Basis: CAL PEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sucrose	57-50-1	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
Sotatercept	1001080-50-7	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version 5.1      Revision Date: 05/09/2026      SDS Number: 10607436-00012      Date of last issue: 12/08/2025  
Date of first issue: 02/14/2022

---

use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white to off-white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
5.1	05/09/2026	10607436-00012	Date of first issue: 02/14/2022

---

Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	160 kg/mol
Particle characteristics Particle size	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
5.1	05/09/2026	10607436-00012	Date of first issue: 02/14/2022

---

Incompatible materials	:	Avoid dust formation. Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

##### Sotatercept:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : Remarks: No data available

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Sotatercept:

Remarks : No data available

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### Sotatercept:

Remarks : No data available

#### Respiratory or skin sensitization

##### Skin sensitization

Not classified based on available information.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
5.1	05/09/2026	10607436-00012	Date of first issue: 02/14/2022

---

### Respiratory sensitization

Not classified based on available information.

#### Components:

##### Sotatercept:

Remarks : No data available

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

##### Sotatercept:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Germ cell mutagenicity - Assessment : No data available

### Carcinogenicity

Not classified based on available information.

#### Components:

##### Sotatercept:

Remarks : No data available

Carcinogenicity - Assessment : No data available

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

May damage fertility. May damage the unborn child.

#### Components:

##### Sotatercept:

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Rat, male and female  
Application Route: Subcutaneous

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version 5.1      Revision Date: 05/09/2026      SDS Number: 10607436-00012      Date of last issue: 12/08/2025  
Date of first issue: 02/14/2022

---

Fertility: LOAEL: 0.3 mg/kg body weight  
Method: Study of Fertility and Early Embryonic Development to Implantation  
Result: Reduced fertility, Increased resorptions., Increase of early resorptions., Effects on fertility., Postimplantation loss., alteration in sperm morphology

Test Type: Reproduction/Developmental toxicity screening test  
Species: Rabbit, female  
Application Route: Subcutaneous  
General Toxicity Parent: NOAEL: 5 mg/kg body weight  
Early Embryonic Development: NOAEL: 0.5 mg/kg body weight  
Method: Study of Fertility and Early Embryonic Development to Implantation

Test Type: Fertility/early embryonic development  
Species: Rat, females  
Application Route: Subcutaneous  
General Toxicity Parent: NOAEL: 5 mg/kg body weight  
Method: Study of Fertility and Early Embryonic Development to Implantation

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Subcutaneous  
General Toxicity Maternal: NOAEL: 50 mg/kg body weight  
Developmental Toxicity: NOAEL: 5 mg/kg body weight

Test Type: Fertility/early embryonic development  
Species: Rabbit  
Application Route: Subcutaneous  
General Toxicity Maternal: NOAEL: 5 mg/kg body weight  
Developmental Toxicity: NOAEL: 0.5 mg/kg body weight

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

### STOT-single exposure

Not classified based on available information.

### Components:

#### Sotatercept:

Remarks : No data available

### STOT-repeated exposure

Causes damage to organs (Blood, Immune system, Liver) through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version 5.1      Revision Date: 05/09/2026      SDS Number: 10607436-00012      Date of last issue: 12/08/2025  
Date of first issue: 02/14/2022

---

### Components:

#### **Sotatercept:**

Target Organs : Blood, Immune system, Liver  
Assessment : Causes damage to organs through prolonged or repeated exposure.  
Remarks : Based on human experience.

### **Repeated dose toxicity**

#### Components:

#### **Sotatercept:**

Species : Rat, male and female  
NOAEL : 3 mg/kg  
Application Route : Intravenous  
Exposure time : 3 Months  
Number of exposures : Once weekly  
Target Organs : Blood, male reproductive organs

Species : Monkey, male and female  
NOAEL : 30 mg/kg  
Application Route : Intravenous  
Exposure time : 3 Months  
Number of exposures : Once weekly  
Target Organs : Blood, Kidney

Species : Monkey, male and female  
NOAEL : 1 mg/kg  
Application Route : Intravenous  
Exposure time : 9 Months  
Number of exposures : Once every 4 weeks  
Target Organs : Blood, Kidney, Immune system

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

#### Components:

#### **Sotatercept:**

General Information : Well tolerated in clinical use  
Inhalation : Remarks: No data available  
Skin contact : Remarks: No data available  
Eye contact : Remarks: No data available  
Ingestion : Remarks: No data available

### **Further information**

#### Components:

#### **Sotatercept:**

Remarks : Well tolerated in clinical use

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
5.1	05/09/2026	10607436-00012	Date of first issue: 02/14/2022

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available

#### Bioaccumulative potential

#### Components:

#### Sucrose:

Partition coefficient: n- : Pow: < 1  
octanol/water

#### Mobility in soil

No data available

#### Other adverse effects

No data available

#### Endocrine disrupting properties

No data available

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.  
Contaminated packaging : Empty containers should be taken to an approved waste  
handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
5.1	05/09/2026	10607436-00012	Date of first issue: 02/14/2022

---

### Special precautions for user

Not applicable

---

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Sucrose	57-50-1
Sotatercept	1001080-50-7

#### California Permissible Exposure Limits for Chemical Contaminants

Sucrose	57-50-1
---------	---------

### The ingredients of this product are reported in the following inventories:

AICS	: not determined
CA. DSL	: not determined
CN IECSC	: not determined

---

## SECTION 16. OTHER INFORMATION

### Further information

# SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version 5.1      Revision Date: 05/09/2026      SDS Number: 10607436-00012      Date of last issue: 12/08/2025  
Date of first issue: 02/14/2022

### NFPA 704:



### HMIS® IV / CED:

HEALTH	*	3
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CAL PEL	:	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
CAL PEL / PEL	:	Permissible exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Pre-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sotatercept Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
5.1	05/09/2026	10607436-00012	Date of first issue: 02/14/2022

---

vention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/09/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8